

Hyundai STARIA Load						
Engine	2.2 VGT					
Engine family	D4HB R series 2.2 CRDi					
Configuration	Transverse front mounted driving front wheels					
Cylinder capacity	2.2 litres (2199 cc)					
Number of cylinders	4 in-line					
Valve system	16 Valve (HLA)					
Intake system	Turbo-charged (E-VGT)					
Maximum power	130 kW @ 3,800 RPM					
Maximum torque	430 Nm @ 1,500 - 2,500 RPM					
Fuel system	Common Rail Direct injection (CRDi)					
Fuel type	Diesel					
Emissions standard	Euro 5					
Bore x stroke	85.4 mm x 96.0 mm					
Compression ratio	16:1					
Transmission						
Automatic	8 speed automatic with sequential manual mode					
Gear ratio	Automatic					
1st	4.808					
2nd	2.901					
3rd	1.864					
4th	1.424					
5th	1.219					
6th	1					
7th	0.799					
8th	0.648					
Reverse	3.425					
Final	3.32					
Engine/transmission availability						
	Automatic					
Van	•					
Crew Van	•					
Steering	2.2 CRDi					
Туре	Column mounted Motor Driven Power Steering (C-MDPS)					
Minimum turning circle diameter between kerbs / walls	11.94					
Number of steering wheel turns lock to lock	3.41					
Suspension	2.2 CRDi					
	Macpherson struts					
Front	Macpherson struts					

Notes:
1. Apple CarPlay™ requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto® requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

loundai CTADIA I and						
Hyundai STARIA Load		2.2.ODD;				
Brakes	Dual diagonal sulit singuit may	2.2 CRDi	Justanaa Diatribustian (EDD) and			
ystem	Duai-diagonal, split circuit, por	Dual-diagonal, split circuit, power assisted with Electronic Brakeforce Distribution (EBD) a Brake Assist System (BAS)				
ront brake type		Ventilated disc				
ront disc dimensions		325 mm x 20 mm				
ear brake type		Ventilated disc				
Rear disc dimensions		325 mm x 20 mm				
Veight	Van		Crew Van			
	Automatic		Automatic			
erb weight - lightest	1,938 kg		2,020 kg			
erb weight - heaviest	2,002 kg		2,076 kg			
ross Vehicle Mass (GVM)	3,020 kg		3,110 kg			
ross Combined Mass (GCM)	5,520 kg		5,610 kg			
lax Cargo Weight	800 kg		600 kg			
ayload (GVM - Tare Weight)	1,072 kg		1,089 kg			
ermissable Axle Weight (PAW) - front	1,610 kg		1,610 kg			
ermissable Axle Weight (PAW) - Iront ermissable Axle Weight (PAW) - rear	1,780 kg					
			1,780 kg			
owing capacity	Van		Crew Van			
and an all	Automatic		Automatic			
raked	2,500 kg		2,500 kg			
nbraked	750 kg		750 kg			
aximum towball weight	100 kg		100 kg			
laximum roof load (2 / 3 rack system)	100 kg		100 kg			
uel consumption*	Van		Crew Van			
	Automatic		Automatic			
ombined (L/100km)	7.0		7.0			
rban (L/100km)	8.9		8.9			
xtra Urban (L/100km)	5.9		5.9			
O2 - combined (g/km)	183		183			
uel tank volume	75 L		75 L			
Source: Australian Design Rule 81/02 static laboratory combined riving habits, the condition of the vehicle, and other factors such						
imensions	Van		Crew Van			
anath	5,253 mm		5,253 mm			
ength Tidth	1,997 mm					
eight	2,000 mm		1,997 mm 2,000 mm			
	·					
/heelbase	3,273 mm	_	3,273 mm			
/heel track - front / rear	1,732 mm / 1,716 mr	1	,732 mm / 1,716 mm			
linimum ground clearance (based on kerb weight)	186 mm		186 mm			
terior	Van		Crew Van			
argo length (Upper/Lower)	2,607 mm		1,588mm			
argo width		1,640 mm 1,640 m				
argo height	1,436 mm		1,436 mm			
argo area - (VDA)	4,935 L		2,764 L			
fective sliding door opening width	870 mm		870 mm			
/heels & tyres	Van	Premium Van	Crew Van			
/heel type	Steel	Alloy	Steel			
/heel dimensions	6.5J x 17	6.5J x 17	6.5J x 17			
yre dimensions	215/65 R17 108H	215/65 R17 108H	R17 108H 215/65 R17 108H			

Spare wheel type

Full size steel

Full size alloy

Full size steel

Hyundai STARIA Load					
Body Configuration	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
2 seater	•	•	•	-	-
5 seater	-	-	-	•	•
Dual sliding doors	•	•	•	•	•
Liftback rear door	•	-	•	•	-
Twin Swing rear doors - with wide opening capability	-	•	-	-	•
Driving convenience	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
Electronic Parking Brake (EPB) (with auto hold function)	•	•	•	•	•
One touch turn signal - 3, 5, or 7 flashes	•	•	•	•	•
Rain sensing wipers	-	-	•	-	-
Rear wiper - with auto wipe on reverse	•	-	•	•	-
Smart Key with push button start	-	-	•	-	-
Remote start - via Smart Key	-	-	•	-	-
Steering wheel mounted controls - audio, phone, cruise control & trip computer	•	•	•	•	•
Drive mode - 4 settings (Comfort, Eco, Sport, Smart)	•	•	•	•	•
Remote open / close front windows - via keyless entry emote	•	•	•	•	•
Filt & telescopic steering column	•	•	•	•	•
Active safety	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
Electronic Stability Control (ESC) including;					
Anti-lock Braking System (ABS)	•	•	•	•	•
Brake Assist System (BAS)	•	•	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•	•	•
Hill-start Assist Control (HAC)	•	•	•	•	•
Multi-Collision Braking (MCB)	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
/ehicle Stability Management (VSM)	•	•	•	•	•
Hyundai SmartSense ™ including;					
Blind-Spot Collision-Warning (BCW)	•	•	•	•	•
Blind-Spot View Monitor (BVM)	-	-	•	-	-
Driver Attention Warning (DAW)	•	•	•	•	•
Forward Collision-Avoidance Assist (FCA) - camera and radar type, including:					
- Car/Pedestrian/Cyclist detection	•	•	•	•	•
- City/Urban/Interurban operational speeds					
- Junction Turning (FCA-JT) functionality					
Haptic warning function	•	•	•	•	•
High Beam Assist (HBA)	•	•	•	•	•
ntelligent Speed Limit Assist (ISLA)	•	•	•	•	•
Lane Following Assist (LFA)	•	•	•	•	•
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)	•	•	•	•	•
Leading Vehicle Departure Alert (LVDA)	•	•	•	•	•
Rear Cross-Traffic Collision - Avoidance Assist (RCCA)	•	•	•	•	•
Rear Occupant Alert (ROA) - door logic type	-	-	-	•	•
Rear View Monitor (RVM)	•	•	•	•	•
Safe Exit Warning (SEW)	•	•	•	•	•
Smart Cruise Control (SCC) with Stop & Go	•	•	•	•	•
Surround View Monitor (SVM)	•	-	•	•	-
Other features					
Parking Distance Warning-Front (PDW-F) - 4 sensors, with guidance display	•	•	•	•	•
Parking Distance Warning-Reverse (PDW-R) - 4 sensors, with guidance display	•	•	•	•	•
Rear view camera with dynamic guide lines	•	•	•	•	•
Emergency Stop Signal (ESS)	•	•	•	•	•
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•	•	•	•

Notes:
1. Apple CarPlay™ requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto® requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

Hyundai STARIA Load					
Passive safety	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin
Airbags 7x			LIITDACK		Swing
Front airbags - driver & front passenger	•		•	•	
Side (thorax) airbags - driver & front passenger	•	•	•	•	•
Front centre airbag	•	•	•	•	•
Side curtain airbags	•	•	•	•	•
Doors					
mpact sensing auto door unlock	•	•	•	•	•
Roll-over sensor	•	•	•	•	•
Rear door child safety locks	-	-	-	•	•
Seatbelts					
Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•	•	•	•
Seat belt reminder - front seats	•	•	•	•	•
Seat belt monitor - rear seats	-	-	-	•	•
point retractable seatbelts on all seats positions	•	•	•	•	•
Seating					
Height adjustable head restraints - front	•	•	•	•	•
Height adjustable head restraints - rear	-	-	-	•	•
ecurity	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
ecurity system					
active lock/unlock operation (user configurable)	•	•	•	•	•
anti-theft alarm	•	•	•	•	•
Central locking	•	•	•	•	•
Engine immobiliser	•	•	•	•	•
Remotes					
Keyless entry remote - 2x	•	•	-	•	•
Smart Key remote - 2x	-	-	•	-	-
Bluelink® connected car service	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
/ehicle functions					
Automatic Collision Notification (ACN)	-	-	•	-	-
Emergency Call (SOS) function	-	-	•	-	-
Connected Routing - server based navigation	-	-	•	-	-
/alet Mode function - restricted infotainment control	-	-	•	-	-
/oice Control - server based & natural voice recognition, ncluding; vehicle controls, information, command & control	-	-	•	-	-
Calendar integration (Google, iCloud) & vehicle diagnostics	_	_		_	-
Veather forecast information	_	_	•	_	_
Remote functions			-		
Alert Services - set geo-fencing, valet, speed/time alerts	-	-	•	-	-
Remote functions - door lock/unlock, hazard warning ights, horn	-	-	•	-	-
Remote climate control - windscreen defog and heated ide mirrors operation	-	-	•	-	-
Remote services					
Navigation - destination send to car, find my car, my trips	-	-	•	-	-
/ehicle status & notifications - remote functions successful/unsuccessful, locking status, climate control status	-	-	•	-	-
Aultimedia system	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
unctions					
	•	•	•	•	•
Bluetooth phone connectivity					
Sluetooth phone connectivity Touch screen - 8" display	•	•	-	•	•
,	•	-	•	-	-
ouch screen - 8" display	• - -	• - -		-	- -
ouch screen - 8" display ouch screen - 10.25" display	• - -	• - -	•	-	- - -

Notes:
1. Apple CarPlay™ requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto® requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

Hyundai STARIA Load					
Speakers Speakers					
Audio system - 2 speakers	•	_	_	•	
Audio system - 4 speakers (2 speakers, 2 tweeters)	·	_	•	_	_
Audio/media sources			-		
AM / FM radio	•	•			•
Digital radio (DAB+)	-	_	•	-	-
Bluetooth audio streaming	•	•	•	•	•
Quiet Mode - Speaker volume limitation for a quieter cabin	•	•	•	•	•
Radio Data System (RDS)	•	•	•	•	•
Occupant comfort & convenience	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
Front seats			Emback		ownig
Driver's seat - height adjustable	•	•	•		•
Front centre console - wireless charging pad (Qi standard) ³	•	•	•	•	•
Front centre console - 1x USB charger, 1x USB Multimedia	•	-	-	-	-
input	•	•	•	•	•
Front centre console - power outlets - 1x 12V outlet	•	•	•	•	•
Second row seats					
Fixed bench seat	-	-	-	•	•
USB charge ports - 2x - rear of centre console	-	-	-	•	•
Coat hooks - 2x	-	-	-	•	•
Passenger partition panel with window - behind 2nd row (Compliant with ISO 27956)	-	-	-	•	•
Windows/shades					
One touch window up & down function with anti-pinching safety feature - front windows	•	•	•	•	•
Pop-out latch type windows - 2nd row	-	-	-	•	•
Power windows - front	•	•	•	•	•
Tailgate					
Smart Power Tailgate - including:					
- Anti-pinching safety feature			_		
- Smart hands-free opening & closing	-	-	•	-	-
- Walkaway closing function					
Remote power open / close tailgate - via Smart Key	-	-	•	-	-
Vision & sight	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
Interior mirror					
Day / night rear view mirror	•	•	-	•	•
Electro-chromatic Mirror (ECM) - auto-dimming	-	-	•	-	-
Exterior mirrors					
Heated	•	•	•	•	•
Power adjustable	•	•	•	•	•
Power folding with auto fold function	•	•	•	•	•
Instrument cluster/driving displays					
Instrument cluster - 4.2" TFT LCD with trip computer & digital speedometer	•	•	-	•	•
Supervision cluster - 10.25" TFT colour LCD with trip computer & digital speedometer	-	-	•	-	-
Ventilation & heating	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twin Swing
Air conditioning					
Manual air conditioning	•	•	•	•	•
Climate control - single zone with auto defog	-	-	•	-	-
Climate control tunnel mode - automatic air recirculation (map based)	-	-	•	-	-
Other features					
Heated rear windshield	•	•	•	•	•

Hyundai STARIA Load					
Exterior styling	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twir Swing
ront					
Front garnish strip - black	•	•	-	•	•
Front grille - body coloured	•	•	•	•	•
Body coloured mirrors	•	•	•	•	•
Mud guards	•	•	•	•	•
Rear					
Mud guards	•	•	•	•	•
ighting	Van Liftback	Van Twin Swing	Premium Van Liftback	Crew Van Liftback	Crew Van Twii Swing
exterior lighting - front			LITEDACK		Swilly
Headlight functions - automatic dusk sensing with escort	•	•	•	•	•
Daytime Running Light bar (DRL) - LED	-	-	•	-	-
Headlight type - LED (low/high beam)	-	-	•	-	-
Positioning lights - LED	-	-	•	-	
Exterior lighting - rear					
Fog light	•	•	-	•	
Fog light - LED	-	_	•	_	-
High Mount Stop Light (HMSL) - LED	•		•	•	•
Rear combination lights - LED (LED : reverse lights)	-	_	•	-	-
exterior lighting - others					
Courtesy lights - LED, in front door handles	-	_	•	_	-
nterior lighting - first row					
Front room lights	•	•	•	•	•
afety reflectors - front doors	•	•	•	•	•
nterior lighting - second row					
Centre room light	-	-	-	•	•
sliding door couresty lamps	-	_	-	•	•
nterior lighting - others					
Cargo area room lamp	•	•	•	•	•
torage solutions	Van Liftback	Van Twin Swing	Premium Van	Crew Van Liftback	Crew Van Twir
Front seats	rain Eintidein	Tan Tan Sam g	Liftback	Orom Tem Emiseon	Swing
Cup holders -4x	_	_	_		•
Cup holders - 2x	•	•	•	_	-
Dash top storage tray	•		-	•	•
Dash top storage tray	-	,	•	-	•
Front roof trays -2x	•	•	•	•	•
Glovebox compartment	•	•	•	•	•
·	,				•
rear seats and row cup holders - rear centre console - 2x	-	_	_		•
	-	-	-	•	•
Rear bench multi-box	-	-	-		•
liding door map pockets and bottle bulges	-	-	-	•	•
Cargo Area	-			•	
Mesh cargo barrier (Compliant with AS/NZS 4034.1)		-	-	•	•
6 tie down hooks 8 tie down hooks	•	-	•	•	•
		•	•	-	-