

Hyundai iLoad.

Specifications.



Engine	2.5 CRDi Manual		2.5 CRDi Automatic	
Engine family	A2		A2	
Configuration	Longitudinal front-mounted driving rear wheels		Longitudinal front-mounted driving rear wheels	
Cylinder capacity	2.5 litres (2,497cc)		2.5 litres (2,497cc)	
Number of cylinders	4 in-line		4 in-line	
Valve system	DOHC, 4 Valves per cylinder		DOHC, 4 Valves per cylinder	
Intake system	Wastegate Turbocharger (WGT)		Variable Geometry Turbocharger (VGT)	
Maximum power	100 kW @ 3800 RPM		125 kW @ 3600 RPM	
Maximum torque	343 Nm @ 1500 - 2500 RPM		441 Nm @ 2000 - 2250 RPM	
Fuel system	Common Rail Direct injection (CRDi)		Common Rail Direct injection (CRDi)	
Fuel type	Diesel		Diesel	
Emissions standard	Euro 5		Euro 5	
Bore x stroke	91.0 mm x 96.0 mm		91.0 mm x 96.0 mm	
Compression ratio	16.4		16.4	
Transmission				
Manual	6 speed manual transmission		-	
Automatic	-		5 speed automatic with sequential manual mode	
Gear ratio	Manual		Automatic	
1st	4.489		3.730	
2nd	2.337		2.308	
3rd	1.350		1.519	
4th	1.000		1.000	
5th	0.784		0.840	
6th	0.679		-	
Reverse	4.253		2.740	
Final	3.692		2.929	
Engine/transmission availability	2.5 CRDi			
	Manual		Automatic	
Van	•		•	
Crew Van	•		•	
Steering	2.5 CRDi			
Type	Hydraulic Power Assisted, Rack and Pinion			
Minimum turning circle diameter between kerbs / walls	11.22 m			
Number of steering wheel turns lock to lock	3.57			
Suspension	2.5 CRDi			
Front	Macpherson struts			
Rear	Rigid rear axle with heavy duty leaf springs			
Brakes	2.5 CRDi			
System	Hydraulic, power assisted			
Front brake type	Ventilated disc			
Front disc dimensions	300 mm x 30 mm			
Rear brake type	Solid disc			
Rear disc dimensions	324 mm x 18 mm			
Weight	Van		Crew Van	
	Manual	Automatic	Manual	Automatic
Kerb weight - lightest	1934 kg	1949 kg	2039 kg	2054 kg
Kerb weight - heaviest	2047 kg	2062 kg	2119 kg	2134 kg
Gross Vehicle Mass (GVM)	3160 kg		3230 kg	
Gross Combined Mass (GCM)	5160 kg	4660 kg	5230 kg	4730 kg
Payload	1113 kg	1098 kg	1111 kg	1096 kg

Towing capacity	2.5 CRDi			
	Manual		Automatic	
Braked	2000 kg		1500 kg	
Unbraked	750 kg			
Maximum towball weight	150 kg			
Maximum roof load (2 / 3 rack system)	75 / 125 kg			
Fuel consumption*	2.5 CRDi			
	Manual		Automatic	
Combined (L/100km)	7.6		8.8	
Urban (L/100km)	9.3		11.5	
Extra Urban (L/100km)	6.5		7.2	
CO2 - combined (g/km)	199		231	
Fuel tank volume	75 L			
*Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle test. Real world fuel consumption will vary depending on a combination of driving habits, the condition of the vehicle, and other factors such as road, traffic and weather conditions. ADR 81/02 test results are meant for comparison purposes only.				
Dimensions	Van		Crew Van	
Exterior				
Length	5150 mm			
Width	1920 mm			
Height	1935 mm			
Wheelbase	3200 mm			
Wheel track - front / rear	1685 / 1660 mm			
Minimum ground clearance (based on kerb weight)	190 mm			
Interior				
Cargo length	2375 mm		1585 mm	
Cargo width	1620 mm			
Cargo height	1340 mm			
Distance between wheel arches	1272 mm			
Cargo area - VDA	4426 L		2511 L	
Wheels & tyres	2.5 CRDi			
Wheel type	Steel			
Wheel dimensions	16 x 6.5J +56			
Tyre dimensions	215/70 R16C			
Spare wheel type	Full size steel			
Body Configuration	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
3 seater	•	•	-	-
6 seater	-	-	•	•
Dual sliding doors	•	•	•	•
Liftback rear door	•	-	•	-
Twin Swing rear doors with 180 opening capability	-	•	-	•
Driving convenience	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Cruise control (Automatic variants only)	•	•	•	•
Rear window wiper with washer	•	-	•	-
Tilt & telescopic steering column	•	•	•	•
Active safety	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Electronic Stability Control (ESC) including;				
Anti-lock Braking System (ABS)	•	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•	•
Traction Control System (TCS)	•	•	•	•
Other features				
Rear view camera	•	-	•	-
Passive safety	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Airbags				
Front airbags - driver & front passenger	•	•	•	•
Side (thorax) airbags - driver & front passenger	•	•	•	•
Doors				
Rear door child safety locks	•	•	•	•
Seatbelts				
Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•	•	•
Seat belt reminder (driver)	•	•	•	•
3 point retractable seatbelts on all outer seating positions	•	•	•	•
Seating				
Height adjustable head restraints (excludes front centre seat)	•	•	•	•

Security	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Security system				
Anti-theft alarm	•	•	•	•
Central locking	•	•	•	•
Engine immobiliser	•	•	•	•
Remotes				
Keyless entry remote - 2x	•	•	•	•
Multimedia system	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Functions				
Apple CarPlay ¹ & Android Auto ² compatibility	•	•	•	•
Bluetooth phone connectivity	•	•	•	•
Touch screen - 7" display	•	•	•	•
Speakers				
Audio system - 2 speakers	•	•	•	•
Audio/media sources				
AM / FM radio	•	•	•	•
Radio Data System (RDS)	•	•	•	•
AUX / USB audio input with iPod [®] compatibility	•	•	•	•
Bluetooth audio streaming	•	•	•	•
Occupant comfort & convenience	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Front seats				
Driver's seat - height adjustable	•	•	•	•
Front power outlet - 1 x 12V outlet	•	•	•	•
Front passenger and driver outer assist grip handles	•	•	•	•
Grip handles - 1x (passenger)	•	•	•	•
Second row seats				
Fixed bench seat	-	-	•	•
Rear passenger outer assist grip handles	-	-	•	•
Windows/shades				
Pop-out latch type windows - 2nd row	-	-	•	•
Power windows - front	•	•	•	•
One touch auto down function - driver's window	•	•	•	•
Sunvisors - driver and front passenger	•	•	•	•
Vision & sight	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Interior mirror				
Day / night rear view mirror	•	•	•	•
Exterior mirrors				
Power adjustable	•	•	•	•
Instrument cluster/driving displays				
Trip computer	•	•	•	•
Ventilation & heating	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Air conditioning				
Cabin air filter	•	•	•	•
Manual air conditioning	•	•	•	•
Other features				
Heated rear windshield	•	•	•	•
Exterior styling	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Front				
Front grille surround - chrome	•	•	•	•
Mud flaps	•	•	•	•
Rear				
Scuff plate integrated into rear bumper	•	•	•	•
Mud flaps	•	•	•	•
Interior styling	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Treatments				
Woven two tone grey seats	•	•	•	•
Lighting	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Exterior lighting - front				
Headlight functions - automatic dusk sensing	•	•	•	•
Interior lighting - first row				
Front room lights	•	•	•	•
Safety reflectors on doors	•	•	•	•

Lighting	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Interior lighting - second row				
Centre room light	-	-	•	•
Sliding door courtesy lamps	-	-	•	•
Safety reflectors on rear of sliding doors	•	•	•	•
Interior lighting - others				
Adjustable rheostat for interior illumination	•	•	•	•
Cargo area room lamp	•	•	•	•
Interior light fade-out delay	•	•	•	•
Storage solutions	Van Liftback	Van Twin Swing	Crew Van Liftback	Crew Van Twin Swing
Front seats				
Cup holders - centre console	•	•	•	•
Dash top storage compartment	•	•	•	•
Dual glovebox compartments	•	•	•	•
Dual cupholders and storage compartment on rear of fold down centre seat	•	•	•	•
Door map pockets and bottle bulges	•	•	•	•
Rear seats				
Coat hooks - 2x 2nd row	-	-	•	•
Sliding door map pockets and bottle bulges	-	-	•	•
Others				
6 tie down hooks in cargo area	-	-	•	•
10 tie down hooks in cargo area	•	•	-	-
Vinyl floor covering in cargo area	•	•	•	•

Notes:

1. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate.
2. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate.

Key:

- = Feature included as standard on trim
- = Feature is available on trim only as part of an option pack
- = Feature is not available on trim