

# IONIQ 5.

## Specifications.



Hyundai IONIQ 5			
Electric motor(s)	IONIQ 5	Elite	Premium N Line
Drive type	RWD	RWD	AWD
Motor type - front	-	-	Permanent magnet synchronous motor
Motor type - rear	Permanent magnet synchronous motor	Permanent magnet synchronous motor	Permanent magnet synchronous motor
Configuration	Rear mounted driving rear wheels	Rear mounted driving rear wheels	Front + rear mounted driving front + rear wheels
Maximum power - front motor / rear motor	- / 168 kW	- / 168 kW	74 kW / 165 kW
Maximum torque - front motor / rear motor	- / 350 Nm	- / 350 Nm	255 Nm / 350 Nm
Maximum power - total	168 kW	168 kW	239 kW
Maximum torque - total	350 Nm	350 Nm	605 Nm
Battery	IONIQ 5	Elite	Premium N Line
Battery type	Liquid cooled Lithium-ion	Liquid cooled Lithium-ion	Liquid cooled Lithium-ion
Capacity	84 kWh	84 kWh	84 kWh
Output	277 kW	277 kW	277 kW
Voltage	697 V	697 V	697 V
Cooling system	IONIQ 5	Elite	Premium N Line
Active Air Flap (AAF) - front lower air intake shutters	•	•	•
On-board AC charger	IONIQ 5	Elite	Premium N Line
Charging capacity (maximum)	10.5 kW	10.5 kW	10.5 kW
Standard charging time (10 to 100%)	Approx 10hr 50min at 7kW	Approx 10hr 50min at 7kW	Approx 10hr 50min at 7kW
Charging port	Type 2 (IEC 62196-2 Type 2)	Type 2 (IEC 62196-2 Type 2)	Type 2 (IEC 62196-2 Type 2)
On-board DC fast charger	IONIQ 5	Elite	Premium N Line
Charger compatibility	400 / 800 V	400 / 800 V	400 / 800 V
50 kW fast charging time (10 to 80%)	Approx. 76min	Approx. 76min	Approx. 76min
350 kW ultra-fast charging time (10 to 80%) <sup>[ii]</sup>	Approx. 18min	Approx. 18min	Approx. 18min
Charging port	CCS Combo2 (IEC 62196-3 Configuration FF)	CCS Combo2 (IEC 62196-3 Configuration FF)	CCS Combo2 (IEC 62196-3 Configuration FF)

Hyundai IONIQ 5			
Portable emergency charging cable	IONIQ 5	Elite	Premium N Line
Type	In-cable control box (ICCB) with domestic 3-pin plug input	In-cable control box (ICCB) with domestic 3-pin plug input	In-cable control box (ICCB) with domestic 3-pin plug input
Output capacity (maximum)	230 V, 10 A	230 V, 10 A	230 V, 10 A
Charging plug	Type 2 (IEC 62196-2 Type 2)	Type 2 (IEC 62196-2 Type 2)	Type 2 (IEC 62196-2 Type 2)
Standard charging time (230 V at maximum charging capacity - 10 to 100%)	Approx. 40hr	Approx. 40hr	Approx. 40hr
Vehicle To Load (V2L)	IONIQ 5	Elite	Premium N Line
Output capacity (maximum)	250 V, 3.6 kW, 15 A	250 V, 3.6 kW, 15 A	250 V, 3.6 kW, 15 A
Connector - inside	Domestic 3-pin plug output	Domestic 3-pin plug output	Domestic 3-pin plug output
Transmission	IONIQ 5	Elite	Premium N Line
Reduction gear type - Front	-	-	Single speed reduction gear
Reduction gear type - Rear	Single speed reduction gear	Single speed reduction gear	Single speed reduction gear
Reduction gear ratio - Front	-	-	2.263
Reduction gear ratio - Rear	2.263	2.263	2.263
Final gear	4.706	4.706	4.706
Driveline	IONIQ 5	Elite	Premium N Line
AWD Type	-	-	HTRAC Dual Motor with Disconnector Actuator System (DAS)
Steering	IONIQ 5	Elite	Premium N Line
Type	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion
Minimum turning circle diameter between kerbs / walls	11.98 m	11.98 m	11.98 m
Number of steering wheel turns lock to lock	2.67	2.67	2.67
Suspension	IONIQ 5	Elite	Premium N Line
Front	MacPherson strut	MacPherson strut	MacPherson strut
Rear	Multi-link	Multi-link	Multi-link
Damping control system	High performance dampers	High performance dampers	High performance dampers
Brakes	IONIQ 5	Elite	Premium N Line
Booster	Active hydraulic booster (regenerative braking)	Active hydraulic booster (regenerative braking)	Active hydraulic booster (regenerative braking)
Front brake type	Ventilated disc	Ventilated disc	Ventilated disc
Front disc dimensions	345 mm x 30 mm	345 mm x 30 mm	345 mm x 30 mm
Rear brake type	Ventilated disc	Ventilated disc	Ventilated disc
Rear disc dimensions	345 mm x 20 mm	345 mm x 20 mm	345 mm x 20 mm
Weight <sup>[2]</sup>	IONIQ 5	Elite	Premium N Line
Tare Mass	2065 kg	2075 kg	2190 kg
Gross Vehicle Mass (GVM)	2590 kg	2590 kg	2685 kg
Permissible Axle Weight (PAW) - front	1280 kg	1280 kg	1280 kg
Permissible Axle Weight (PAW) - rear	1455kg	1455kg	1455kg
Roof rack load limit	80 kg	80 kg	80 kg
Towing Capacity <sup>[3]</sup>	IONIQ 5	Elite	Premium N Line
Braked	1600 kg	1600 kg	1600 kg
Un-braked	750 kg	750 kg	750 kg
Maximum tow ball weight	100 kg	100 kg	100 kg
Trailer pre-wiring package	•	•	•

Hyundai IONIQ 5			
Energy consumption <sup>[4]</sup>	IONIQ 5	Elite	Premium N Line
Electric driving efficiency; Combined: Wh/km	160.40	169.90	181.10
kWh/100km	16.04	16.99	18.11
All Electric Range (AER) <sup>[5]</sup>	570 km	530 km	495 km
* Figure based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour.			
* Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.			
Dimensions	IONIQ 5	Elite	Premium N Line
Exterior			
Length	4655 mm	4655 mm	4655 mm
Width	1890 mm	1890 mm	1890 mm
Height (with shark fin antenna)	1605 mm	1605 mm	1605 mm
Wheelbase	3000 mm	3000 mm	3000 mm
Wheel track - front / rear	19 inch wheel: 1638 mm / 1647 mm	20 inch wheel: 1628 mm / 1637 mm	20 inch wheel: 1628 mm / 1637 mm
Minimum ground clearance	160 mm	160 mm	160 mm
Interior			
Head room front / rear (with vision roof)	1010 mm / 982 mm	1010 mm / 982 mm	993 mm / 953 mm
Leg room front / rear	1060 mm / 1002 mm	1060 mm / 1002 mm	1060 mm / 1002 mm
Shoulder room front / rear (with blind)	1465 mm / 1470 mm (1465 mm)	1465 mm / 1470 mm (1465 mm)	1465 mm / 1470 mm (1465 mm)
Hip room front / rear	1368 mm / 1362 mm	1368 mm / 1362 mm	1368 mm / 1362 mm
Cargo area rear - VDA (minimum / maximum)	520 L / 1580 L	520 L / 1580 L	520 L / 1580 L
Cargo area front - VDA	57 Litres	57 Litres	24 Litres
Wheels & tyres	IONIQ 5	Elite	Premium N Line
Wheel type	Alloy - aerodynamic design	Alloy - aerodynamic design	Alloy - aerodynamic design
Wheel dimensions	19 x 7.5J +49.5	20 x 8.5J +54.5	20 x 8.5J +54.5
Tyre type	Michelin Primacy 4	Michelin Pilot Sport EV	Michelin Pilot Sport EV
Tyre dimensions	235/55R19 105W	255/45R20 105W	255/45R20 105W
Spare wheel type	Tyre Mobility Kit (TMK)	Tyre Mobility Kit (TMK)	Tyre Mobility Kit (TMK)
Electric vehicle functions	IONIQ 5	Elite	Premium N Line
Battery heating system - cold climate battery conditioning for DC charging and driving performance	•	•	•
iPedal mode - intelligent one pedal driving mode	•	•	•
Regenerative braking control - via paddle shifters	•	•	•
Smart regenerative braking mode 2.0 - traffic & navigation based	•	•	•
Trailer Mode - Automatic AER adjustment	•	•	•
Trailer Mode - HTRAC AWD drive torque distribution (AWD only)	-	-	•
Utility mode function - uses the high voltage battery to power vehicle electronics	•	•	•
Vehicle to Load (V2L) connection (inside) - domestic 3-pin plug output	•	•	•
Active safety <sup>[6]</sup>	IONIQ 5	Elite	Premium N Line
Electronic Stability Control (ESC) including;			
Anti-lock Braking System (ABS)	•	•	•

## Hyundai IONIQ 5

Brake Assist System (BAS)	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•
Hill-start Assist Control (HAC)	•	•	•
Multi Collision-Avoidance Brake (MCB)	•	•	•
Traction Control System (TCS)	•	•	•
Vehicle Stability Management (VSM)	•	•	•
<b>Hyundai SmartSense™<sup>[7]</sup> including;</b>			
Blind-Spot Collision Avoidance-Assist (BCA)	•	•	•
Blind-Spot View Monitor (BVM)	•	•	•
Driver Attention Warning (DAW), including;	•	•	•
Leading Vehicle Departure Alert	•	•	•
Forward Collision-Avoidance Assist (FCA) including:	•	•	•
Car / Pedestrian / Cyclist Detection (FCA - CAR/PED/CYC)	•	•	•
Junction Turning / Crossing functions (FCA - JT/JC)	•	•	•
Lane Change Oncoming / Side functions (FCA - LO/LS)	•	•	•
Evasive Steering Assist function (FCA - w/ ESA)	•	•	•
High Beam Assist (HBA)	•	•	•
Highway Driving Assist (HDA) including:	•	•	•
Distance control, Lane Following Control, and Lane Change Assist Control	•	•	•
Intelligent Speed Limit Assist (ISLA)	•	•	•
Lane Following Assist (LFA)	•	•	•
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)	•	•	•
Navigation-based Smart Cruise Control (NSCC)	•	•	•
Parking Collision-Avoidance Assist - Reverse (PCA-R)	•	•	•
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	•	•	•
Rear Occupant Alert (ROA) - warning type	•	•	•
Safe Exit Assist (SEA)	•	•	•
Smart Cruise Control (SCC), including;	•	•	•
Stop & Go function (SCC w/ S&G)	•	•	•
Machine Learning function (SCC w/ ML) - Based on Driving Style	•	•	•
Surround View Monitor (SVM) including;	•	•	•
3D Surround View function	•	•	•
Rear-view camera with dynamic guidelines & guidance display	•	•	•
Trailer connection mode	•	•	•
<b>Other features</b>			
Emergency Stop Signal (ESS)	•	•	•
Manual Speed Limit Assist (MSLA)	•	•	•
Parking Distance Warning - Forward/Side/Reverse (PDW-F/S/R) - 6 sensors with guidance display	•	•	•
Smart Parking Assist (SPA), including; Perpendicular & Parallel reverse parking and Parallel forward exit functions	•	•	•

## Hyundai IONIQ 5

Remote Smart Parking Assist (RSPA), via Smart Key, including; Perpendicular & Parallel reverse parking and Forward/Rearward parking functions	•	•	•
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•	•
Steering wheel with Haptic feedback - SmartSense™ <sup>[7]</sup> functions	•	•	•
Passive safety	IONIQ 5	Elite	Premium N Line
Airbags			
Front airbags - driver & front passenger	•	•	•
Front centre side airbag	•	•	•
Side (thorax & pelvis) airbags - driver & front passenger	•	•	•
Side curtain airbags	•	•	•
Doors			
Electronic child safety lock - rear doors & windows	•	•	•
Seatbelts			
Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•	•
Pretensioners on rear outboard seat belts	•	•	•
Seat belt reminder - all positions	•	•	•
Seating			
Height adjustable front head restraints with tilt function and height adjustable rear head restraints	•	•	•
ISOFIX child restraint anchors (rear outboard seats)	•	•	•
Top tether child restraint anchors (rear) - 3 anchors	•	•	•
Security	IONIQ 5	Elite	Premium N Line
Security system			
Active lock/unlock operation (user configurable)	•	•	•
Anti-theft alarm	•	•	•
Engine immobiliser	•	•	•
Connectivity	IONIQ 5	Elite	Premium N Line
Functions			
Bluelink® connected car service <sup>[8]</sup>	•	•	•
Digital Key 2 <sup>[9]</sup>	•	•	•
Multimedia system	IONIQ 5	Elite	Premium N Line
Audio/media sources			
AM / FM / Digital radio (DAB+)	•	•	•
Apple CarPlay® <sup>[10]</sup> & Android Auto™ <sup>[11]</sup> compatibility	•	•	•
USB-C multimedia input	•	•	•
Functions			
Bluetooth® <sup>[12]</sup> Multi-Connection; 1 x phone/audio & 1 x audio	•	•	•
Capacitive touch screen - 12.3" HD display with blue light filter	•	•	•
Satellite navigation with live traffic updates via Bluelink®	•	•	•
Speakers			
6 speakers	•	-	-
BOSE™ Premium audio system - 8 speakers with external amplifier	-	•	•

Hyundai IONIQ 5			
Driving convenience <sup>[13]</sup>	IONIQ 5	Elite	Premium N Line
Electronic Parking Brake (EPB) with Auto Hold function	•	•	•
Integrated Memory System (IMS), 2 driver positions with easy access function - including; Driver's seat (excluding lumbar) & exterior rear view mirror position	-	-	•
Rain sensing wipers	•	•	•
Remote Start - via Smart Key	•	•	•
Exterior mirrors - auto dip on reverse	-	-	•
Smart key with push button start	•	•	•
Tilt & telescopic steering column	•	•	•
Driving engagement	IONIQ 5	Elite	Premium N Line
Brake Mode - 2 settings; Normal & Sport	•	•	•
Drive Mode - 5 settings; Eco, Normal, Sport, My Drive, Snow	•	•	•
Occupant comfort & convenience	IONIQ 5	Elite	Premium N Line
Upholstery/trim			
Wool blend / Leather <sup>[14]</sup> appointed combination seats	•	-	-
Leather <sup>[14]</sup> appointed seats	-	•	-
Alcantara/leather <sup>[14]</sup> appointed seats	-	-	•
Leather <sup>[14]</sup> appointed steering wheel, centre console armrest w/real stitching and door armrests w/cloth inserts & real stitching	•	•	•
Front seats			
Driver's seat - power adjustable - 10-way (including 2-way lumbar support)	•	•	-
Driver's seat - power adjustable - 12-way (including 2-way lumbar support & 2-way calf support)	-	-	•
Driver and passenger seat - 'Relaxion' comfort seat function (zero gravity position)	-	-	•
Passenger's seat - power adjustable - 10-way (including 2-way lumbar support)	-	•	-
Passenger's seat - power adjustable - 12-way (including 2-way lumbar support & 2-way calf support)	-	-	•
Passenger's seat - centre side control switch, including; Driver/rear passenger control for 2nd row slide (individual left & right)	-	-	•
Integrated Memory System (IMS) - passenger seat via multimedia screen	-	-	•
Adjustable centre console (2-way sliding)	-	•	•
2 x USB-C power outlet - centre console	•	•	•
1 x 12V power outlet - front console	•	•	•
Wireless charging pad 15w (Qi standard) <sup>[15]</sup> with cooling function - centre console	•	•	•
Grip handles - 1x (passenger)	•	•	•
Rear seats			
Centre fold down armrest with cupholders	•	•	•
Grip handles - 2x	•	•	•
2 x USB-C power outlet - rear of centre console	•	•	•
Manual backrest recline function - 2-way (60:40)	•	•	•
Manual seat base slide function - 2-way (60:40)	•	•	-
Power seat base slide function - 2-way (60:40)	-	-	•

## Hyundai IONIQ 5

Integrated Memory System (IMS) - rear seats via multimedia screen (60:40)	-	-	-	•
<b>Windows/shades</b>				
Acoustic laminated glass - windshield and side door glass	•	•	•	•
Solar control glass - windshield & front doors	•	•	•	•
Privacy glass - rear doors & tailgate	-	•	•	•
Power windows - one touch up & down function with anti-pinch safety feature - all windows	•	•	•	•
Convenience opening/closing function with Smart Key remote - all windows	•	•	•	•
Rear door window sunshades	-	-	-	•
Vision roof - fixed glass roof panel with power sunshade	-	-	-	•
<b>Doors/tailgate</b>				
Luggage area power outlet - 1 x 12V outlet	•	•	•	•
Power charge flap - open/close	•	•	•	•
Flush type power retractable door handles - with approach open & unlock function	•	•	•	•
Smart Power Tailgate - Speed and height adjustable	-	•	•	•
Smart one touch 2nd row flat folding seats (switch operated) - cargo compartment	-	•	•	•
Vision & sight	IONIQ 5	Elite	Premium	N Line
<b>Interior mirror</b>				
Electro-Chromatic Mirror (ECM) - auto-dimming	•	•	•	•
<b>Exterior mirrors</b>				
Heated	•	•	•	•
Power adjustable	•	•	•	•
Power folding with auto fold function	•	•	•	•
<b>Instrument cluster</b>				
Instrument cluster - 12.3" colour TFT-LCD full screen digital display	•	•	•	•
Head-Up-Display (HUD)	-	•	•	•
Ventilation & heating	IONIQ 5	Elite	Premium	N Line
<b>Air conditioning</b>				
Climate control - dual zone including;	•	•	•	•
Auto defog function, auto dehumidify function and auto internal air circulation function	•	•	•	•
Auto Comfort Control - auto activation of driver's heated / ventilated seat & heated steering wheel	-	•	•	•
Cooling/heating vents - rear 'B' pillars and floor	•	•	•	•
<b>Front seats</b>				
Heated front seats - 3 stage	-	•	•	•
Air ventilated front seats - 3 stage	-	-	-	•
<b>Rear seats</b>				
Heated rear outboard seats - 2 stage	-	-	-	•
<b>Other features</b>				
Heated steering wheel	-	-	-	•
Heat pump system - high efficiency heater	•	•	•	•

Hyundai IONIQ 5			
Exterior styling	IONIQ 5	Elite	Premium N Line
<b>Front</b>			
Headlights - black bezel with Parametric Pixel graphics	•	•	•
Front bumper cladding and skid plate	Liquid Silver	Liquid Silver	Piano Black
N Line exclusive front bumper and skid plate	-	-	•
<b>Rear</b>			
Taillights - black bezel with parametric pixel graphics	•	•	•
Rear bumper cladding and skid plate	Liquid Silver	Liquid Silver	Piano Black
Roof spoiler - tailgate mounted; Body colour with piano black wind deflector	•	•	•
N Line exclusive rear bumper and skid plate	-	-	•
<b>Side</b>			
Door frame, beltline moulding & mirror base/lower cover/ front surround	Gloss Black	Gloss Black	Gloss Black
Body cladding	Liquid Silver	Liquid Silver	Body Colour
N Line exclusive side skirts	-	-	•
Gloss black exterior mirror caps	-	-	•
<b>Other features</b>			
Roof aerial (shark fin type) - gloss black	•	•	•
Interior finishes	IONIQ 5	Elite	Premium N Line
Alloy effect finish (dashboard, door handles/speakers, cabin switches, wiper/light/transmission controls, air vents, centre console & overhead light console)	•	•	•
Door scuff plates - stainless steel	•	•	•
Door trim insert garnish - paperette w/Parametric Pixel graphics	•	•	•
Premium door trim materials	•	•	•
Headlining - cloth knit melange look	•	•	•
Pedals - alloy	-	•	•
N Line exclusive alloy pedals	-	-	•
Lighting	IONIQ 5	Elite	Premium N Line
<b>Exterior lighting - front</b>			
Daytime Running Lights (DRL) - LED w/Parametric Pixel graphics	•	•	•
Headlight functions - automatic dusk sensing with escort and welcome	•	•	•
Headlight type - Dual projector beam LED - low/high beam	•	•	-
Headlight type - Dual projector LED with intelligent high beam function	-	-	•
<b>Exterior lighting - rear</b>			
Rear Combination lights - Full LED w/Parametric Pixel graphics	•	•	•
Fog lights - LED	•	•	•
High mount stop light (HMSL) - LED	•	•	•
<b>Exterior lighting - others</b>			
Side repeaters - LED w/Parametric Pixel graphics, integrated into side mirrors	•	•	•
Front cargo area light - LED	•	•	•
Manual headlight levelling function - 4 levels; 0, 1, 2, & 3	•	•	-

## Hyundai IONIQ 5

Interior lighting				
	IONIQ 5	Elite	Premium N Line	
Mood light - LED	-	-	-	•
Room lights including map lights - LED	•	•	•	•
Glovebox compartment light - LED	•	•	•	•
Vanity mirror lights	•	•	•	•
Interior ambient lighting - user customisable	•	•	•	•
Rear cargo area light	•	•	•	•
Interior light fade-out delay	•	•	•	•
Storage solutions	IONIQ 5	Elite	Premium N Line	
Front seats				
Centre console with storage compartments and cupholders	•	•	•	•
Front console storage compartment	•	•	•	•
Rear seats				
Coat hooks	•	•	•	•
Front seat back pockets	•	•	•	•
Split folding backrest - 60:40	•	•	•	•
Boot/luggage area				
Cargo cover - dual position, retractable	•	•	•	•
Luggage board - foldable	•	•	•	•
Tie down hooks with luggage net	•	•	•	•
Underfloor storage compartment	•	•	•	•
Others				
Doors - map pockets and bottle holders	•	•	•	•

### Key:

• = Feature included as standard on trim    - = Feature is not available on trim

Hyundai Motor Company Australia Pty Limited ABN 58 008 995 588 ("Hyundai") uses its best endeavours to ensure that the information contained in this document is accurate and up to date as at 26th of November 2025. All information contained in this document is subject to change without notice. Hyundai reserves the right, at any time, at its discretion, to discontinue and/or change any information contained in this document without notice including but not limited to, specifications, options, features, models, designs, colours, pricing, materials, equipment and model availability. The vehicle and specifications displayed in this document are a guide only and may vary at the time of delivery. Please consult an authorised Hyundai Dealer before placing an order to obtain the most current information on specifications, options, features, models, designs, colours, pricing, materials, equipment and model availability. To the maximum extent permitted by law, Hyundai does not provide any warranty as to the completeness and/or accuracy of the information contained in this document and is not liable for any damage or loss resulting from the information and/or images contained in this document.

### DISCLAIMERS:

- [1] When connected to an 800V ultra-rapid charger, the IONIQ 5 can recharge from 10% to 80% in approximately 18 minutes. Charging times may increase if peak charging rates are not achieved. Charging times may vary based on factors including but not limited to charger type and condition, battery temperature, electricity supply, auxiliary consumables (e.g. air-conditioning) and environmental conditions.
- [2] Vehicle weight/mass/volume/dimensions shown are approximate only and may vary between individual vehicles. Please confirm before fitting accessories, towing or relying on this figure.
- [3] Towbar capacity is subject to towbar design, vehicle design and towing equipment limitations. Requires a Hyundai Genuine Accessory tow bar and tow ball purchased at an additional cost and fitted by an authorised Hyundai dealer.
- [4] Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle test. Real world fuel consumption will vary depending on a combination of driving habits, the condition of the vehicle, and other factors such as road, traffic and weather conditions. ADR 81/02 test results are meant for comparison purposes only.
- [5] 570km range applicable to IONIQ 5 19" wheel variant only. Range for Elite variant is 530km and range for Premium N Line variant is 495km. Figure based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range, and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.
- [6] The accuracy and operation of safety features may vary based on factors including, but not limited to, weather, speed, traffic, road conditions and markings. Availability of some safety features depend on variant and transmission chosen. Please refer to your Owner's Manual for further details on safety feature limitations.
- [7] Hyundai SmartSense® is a registered trademark of Hyundai Motor Company. Safety features are not a substitute for attentive driving. The accuracy and operation of Hyundai SmartSense® technologies may vary based on factors including, but not limited to, weather, speed, traffic, road conditions and markings. Availability of various Hyundai SmartSense® safety features depend on vehicle variant and transmission. Please refer to your Owner's Manual for further details on Hyundai SmartSense® feature limitations.
- [8] Bluelink® is complimentary for five (5) years from the date of first registration of a new Bluelink-enabled vehicle. Where an eligible vehicle meets the necessary Hyundai dealer servicing conditions for the 7-year Extended New Car Warranty, the complimentary Bluelink subscription is also extended to 7 years. Subscription fees may apply thereafter. Driver-assist feature only. Only operate in accordance with local road rules and in safe conditions. Requires Bluelink to be activated, compatible device & app installation, third party info, mobile data, network reception and GPS signal to operate. Mobile usage at user's cost. Not available in areas not covered by the Optus 4G/LTE network in Australia or if services are disabled or terminated. Features and app are subject to change. For details see "http://www.hyundai.com/au/en/owning/bluelink" "www.hyundai.com/au/en/owning/bluelink" and view the Bluelink Manual.
- [9] The Hyundai Digital Key 2 feature requires a compatible mobile device, Bluelink app installation and an active Bluelink subscription. Features, app and specifications are subject to change. Hyundai Digital Key 2 and Digital Key 2 Touch can be shared via the Wallet app (Apple Wallet, Google Wallet and Samsung Wallet) on your mobile device. Shared keys can only be used on devices that are compatible with Hyundai Digital Key. Convenience aid only. Not intended as a permanent key replacement.
- [10] Apple CarPlay® requires phone with compatible version of Apple iOS and active data service. Apple® and other third parties are responsible for their respective functionality. Apple CarPlay®, Apple® and iPhone® are registered trademarks of Apple Inc.
- [11] Android Auto™ requires a device with compatible version of Android® and active data service. Google and other third parties are responsible for their respective functionality. Android Auto™ is a trademark of Google LLC.
- [12] Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Please check your Bluetooth® device's capabilities to ensure compatibility.
- [13] The accuracy and operation of driver convenience features may vary based on factors including, but not limited to, weather, speed, traffic, road conditions and markings. Availability of some driver convenience features depend on variant and transmission chosen. Please refer to your Owner's Manual for further details on limitations.
- [14] Finishes specified as leather appointed may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.
- [15] Wireless charging requires a Qi-enabled smartphone or adaptor in order to operate.