

Hyundai TUCSON							
Engine	Smartstream G2.0 MPi	Smartstream G1.6 T-GDi Hybrid					
Engine Family	G4NIII	G4FIII					
Configuration	Transverse front mounted driving front wheels	Transverse front mounted driving front and rear wheels					
Cylinder capacity	2.0 litres (1,999 cc)	1.6 litres (1,598 cc)					
Number of cylinders	4 in-line	4 in-line					
Valve system	16 Valve (HLA), Double Overhead Cam (DOHC), Dual Continuously Variable Valve Timing (D-CVVT)	16 Valve (HLA), Double Overhead Cam (DOHC), Continuously Variable Valve Duration (CVVD)					
Intake System	Variable Intake System (VIS)	Tuned Intake System (TIS) Turbocharger					
Maximum power	115 kW @ 6,200 RPM	132 kW @ 5,500 RPM					
Maximum torque	192 Nm @ 4,500 RPM	264 Nm @ 4,500 RPM					
Fuel system	Multi Point injection (MPi)	T-GDi (Turbo Gasoline Direct injection)					
Fuel type	91 RON (ULP), E10 compatible	91 RON (ULP), E10 compatible					
Emissions standard	Euro 5	Euro 5					
Bore x stroke	81.0 mm x 97.0 mm	75.6 mm x 89.0 mm					
Compression ratio	10.8:1	10.5 :1					
Electric Motor	Smartstream G2.0 MPi	Smartstream G1.6 T-GDi Hybrid					
Motor type	-	Permanent Magnet Synchronous Motor (PMSM					
Configuration	-	Transmission Mounted Electric Device (TMED)					
Maximum power	-	37.4 kW					
Maximum torque	-	264 Nm @ 1,700 RPM					
Combined system output	Smartstream G2.0 MPi	Smartstream G1.6 T-GDi Hybrid					
Maximum power	-	172 kW @ 5,600 RPM					
Maximum torque	-	367 Nm @ 1,000-4,100 RPM					
Battery	Smartstream G2.0 MPi	Smartstream G1.6 T-GDi Hybrid					
Battery type	-	Lithium-lon Polymer					
Capacity	-	1.49 kWh					
Voltage	-	270V					
Transmission	Smartstream G2.0 MPi	Smartstream G1.6 T-GDi Hybrid					
Transmission Family	A6MF1-2	A6MF2H-2					
Automatic Transmission (AT)	Smartstream 6AT	Smartstream 6AT					

Hyundai TUCSON Goar ratio	EWD	EWD	AVA/D			
Gear ratio	FWD	FWD	AWD			
lst	4.400	339				
rnd	2.726 2.826					
ard	1.834 1.841					
lth	1.392 1.386					
ith	1.000	1.0				
5th	0.774	0.7				
Reverse	3.440	3.3				
Final	3.702	3.3				
Engine/transmission availability	Smartstream G2.0 MPi	Smartstream G				
	FWD	FWD	AWD			
Гucson 	•	•	-			
Elite	•	•	•			
- N Line option pack	-	•	•			
Premium	-	-	•			
- N Line option pack	-	-	•			
All Wheel Drive (AWD) type	-	-	HTRAC active on-demand AWD			
Steering			a de la dela de			
ype	Column mounted Motor Driven Power	r Steering (C-MDPS), rack	& pinion			
Minimum turning circle diameter between kerbs			pe			
walls	11.8 n	n				
Number of steering wheel turns lock to lock	2.41					
Suspension						
	MacPherson strut					
Front	MacPherso	nistiut				
Front Rear	MacPherso Multi-l					
	Multi-l	ink				
Rear Brakes		ink onic Brakeforce Distributio	on (EBD) and Brake Ass			
Rear Brakes Bystem	Multi-l Dual-diagonal, split circuit, power assisted with Electro	ink onic Brakeforce Distribution BAS)	on (EBD) and Brake Ass			
Rear Brakes System Front brake type	Multi-l Dual-diagonal, split circuit, power assisted with Electro System (ink onic Brakeforce Distribution BAS) d disc	on (EBD) and Brake Ass			
Rear	Multi-l Dual-diagonal, split circuit, power assisted with Electro System (Ventilated	ink onic Brakeforce Distribution BAS) d disc 25 mm	on (EBD) and Brake Ass			
Rear Brakes System Front brake type Front disc dimensions Rear brake type	Dual-diagonal, split circuit, power assisted with Electro System (Ventilated	ink onic Brakeforce Distribution BAS) d disc 25 mm isc	on (EBD) and Brake Ass			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions	Dual-diagonal, split circuit, power assisted with Electro System (Ventilated 305 mm x Solid d	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm	on (EBD) and Brake Ass			
Rear Strakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions	Dual-diagonal, split circuit, power assisted with Electro System (Ventilated 305 mm x Solid d 300 mm x	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm				
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight	Dual-diagonal, split circuit, power assisted with Electro System (Ventilated 305 mm x Solid d 300 mm x	ink pnic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G	1.6 T-GDi Hybrid			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight For the system of	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi	onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G	1.6 T-GDi Hybrid AWD			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight Kerb weight - lightest Kerb weight - heaviest	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg	1.6 T-GDi Hybrid AWD 1686 kg			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight Kerb weight - lightest Kerb weight - heaviest Gross Vehicle Mass (GVM)	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg	onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream Gr FWD 1626 kg 1745 kg 2240 kg	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight For the weight - lightest For the weight - heaviest	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg	onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream Gr FWD 1626 kg 1745 kg 2240 kg	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Bross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg	onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg			
Rear Brakes Brakes Brakes Bront brake type Bront disc dimensions Brear disc dimensions Veight Brons Brear disc dimensions Veight Brons Brear disc dimensions Veight Brear disc dimensions Permissible Axle Weight (PAW) - front Brear disc dimensions Brear disc	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream Gr FWD 1626 kg 1745 kg 2240 kg 1266 1200	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg			
Rear Brakes Brakes Brakes Bront brake type Bront disc dimensions Brear disc dimensions Veight Brons Brear disc dimensions Veight Brons Brear disc dimensions Veight Brear disc dimensions Permissible Axle Weight (PAW) - front Brear disc dimensions Brear disc	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream Gr FWD 1626 kg 1745 kg 2240 kg 1260 1200 1000 Smartstream Gr	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Weight Gerb weight - lightest Gerb weight - heaviest Gross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi FWD	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 100C Smartstream G	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight For weight - lightest For weight - heaviest For sos Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 1000 kg Smartstream G2.0 MPi FWD 1650 kg	ink pric Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 Smartstream G FWD	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Gross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked Unbraked	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPI FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 1200 kg Smartstream G2.0 MPI FWD 1650 kg 750 kg	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream Gr FWD 1626 kg 1745 kg 2240 kg 1260 1000 Smartstream Gr FWD 1900 750	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Bross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked Unbraked Maximum tow ball weight	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x 305 mm x 300 m	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 1000 Smartstream G FWD 1900 7500 1000	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Bross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked Unbraked Maximum tow ball weight	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x x Solid d 300 mm x X Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi FWD 1650 kg 750 kg 100 kg Smartstream G2.0 MPi	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 1000 Smartstream G FWD 1900 7500 1000 Smartstream G	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1 kg			
Rear Brakes Bystem Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight Front brake brake weight (PAW) - front Front brake	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 1200 kg Smartstream G2.0 MPi FWD 1650 kg 750 kg 100 kg Smartstream G2.0 MPi FWD	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 5martstream G FWD 1900 750 1000 Smartstream G FWD	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1 kg 1 kg 1 kg 1 kg			
Rear Brakes Brakes Brakes Bront brake type Bront disc dimensions Rear brake type Rear disc dimensions Veight Brakes Bross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked Maximum tow ball weight Fuel consumption* Combined (L/100km)	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x 305 mm x 300 m	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 Smartstream G FWD 1900 Smartstream G FWD 5	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1.6 T-GDi Hybrid AWD 1.6 T-GDi Hybrid AWD			
Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Veight For weight - lightest For sos Vehicle Mass (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Roof rack load limit Towing capacity Braked Maximum tow ball weight For sombined (L/100km) Urban (L/100km)	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x x Solid d 300 mm x X Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi FWD 1650 kg 750 kg 100 kg Smartstream G2.0 MPi FWD 8.1 11.0	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 1000 Smartstream G FWD 1900 7500 1000 Smartstream G FWD	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1.6 T-GDi Hybrid AWD 0 kg			
Rear Brakes Brakes Brystem Bront brake type Bront disc dimensions Brear brake type Bront disc dimensions Brear disc dimensions Veight Bross Veight - lightest Bross Vehicle Mass (GVM) Bremissible Axle Weight (PAW) - front Bremissible Axle Weight (PAW) - rear Broof rack load limit Browing capacity Braked Braked Braked Braked Bross Weight - lightest Bross Vehicle Mass (GVM) Bront Bront Brown Brown Brown Brown Brown B	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x x Solid d 300 mm x Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi FWD 1650 kg 750 kg 100 kg Smartstream G2.0 MPi FWD 8.1 11.0 6.5	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 1000 Smartstream G FWD 1900 750 1000 Smartstream G FWD 5 3 6	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1.6 T-GDi Hybrid AWD 3.6 -5.5			
Rear Brakes System Front brake type Front disc dimensions	Dual-diagonal, split circuit, power assisted with Electron System (Ventilated 305 mm x x Solid d 300 mm x X Smartstream G2.0 MPi FWD 1495 kg 1616 kg 2105 kg 1260 kg 1200 kg 100 kg Smartstream G2.0 MPi FWD 1650 kg 750 kg 100 kg Smartstream G2.0 MPi FWD 8.1 11.0	ink onic Brakeforce Distribution BAS) d disc 25 mm isc 10 mm Smartstream G FWD 1626 kg 1745 kg 2240 kg 1266 1200 1000 Smartstream G FWD 1900 7500 1000 Smartstream G FWD	1.6 T-GDi Hybrid AWD 1686 kg 1806 kg 2300 kg 0 kg 0 kg 1.6 T-GDi Hybrid AWD 0 kg 1.6 T-GDi Hybrid AWD 3.66 5.5			

^{*}Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle test. Real world fuel consumption will vary depending on a combination of driving habits, the condition of the vehicle, and other factors such as road, traffic and weather conditions. ADR 81/02 test results are meant for comparison purposes only.

S			+ N Line option		+ N Line option
Dimensions	Tucson	Elite	pack	Premium	pack
Exterior					
Length	4640 mm	4640 mm	4650 mm	4640 mm	4650 mm
Width	1865 mm				
Height (inc. roof rails)	1665 mm				
Wheelbase	2755 mm				
Wheel track - front / rear	1615 / 1622 mm				
Minimum ground clearance [based on kerb weight]	181 mm				
Approach / departure / ramp break over angle	18° / 25.3° / 17.8°	18° / 25.3° / 17.8°	18° / 22.6° / 17.8°	18° / 25.3° / 17.8°	18° / 22.6° / 17.8
Interior					
Head room - front / rear	Petrol - 1,019 / 1,002 mm Hybrid - 1,019 / 995 mm	Petrol - 1,019 / 1,002 mm Hybrid - 1,019 / 995 mm	Petrol - 1,019 / 1,002 mm Hybrid - 1,019 / 995 mm	Petrol - 968 / 990 mm Hybrid - 968 / 983 mm	Petrol - 968 / 99 mm Hybrid - 968 / 99 mm
Leg room - front / rear	Petrol - 1,052 / 1,050 mm Hybrid - 1,052 / 1,052 mm	Petrol - 1,052 / 1,050 mm Hybrid - 1,052 / 1,052 mm	Petrol - 1,052 / 1,050 mm Hybrid - 1,052 / 1,052 mm	Petrol - 1,052 / 1,050 mm Hybrid - 1,052 / 1,052 mm	Petrol - 1,052 / 1,050 mm Hybrid - 1,052 / 1,052 mm
Shoulder room - front / rear	1,464 / 1,422 mm	1,464 / 1,422 mr			
Hip room - front / rear	1,385 / 1,369 mm	1,385 / 1,369 mr			
Cargo area - minimum/maximum (VDA)	Petrol - 539 / 1,860 L Hybrid - 582 / 1,903 L	Petrol - 539 / 1,860 L Hybrid - 582 / 1,903 L	Petrol - 539 / 1,860 L Hybrid - 582 / 1,903 L	Petrol - 539 / 1,860 L Hybrid - 582 / 1,903 L	Petrol - 539 / 1,860 L Hybrid - 582 / 1,903 L
Wheels & tyres	Tucson	Elite	+ N Line option pack	Premium	+ N Line optio pack
Wheel type	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel dimensions	17 x 7.0J +48.5	18 x 7.5J +51	19 x 7.5J +51	19 x 7.5J +51	19 x 7.5J +51
Tyre dimensions	235/65 R17 104H	235/60 R18 103H	235/55 R19 101H	235/55 R19 101H	235/55 R19 101
Spare wheel type	Petrol - Full size spare Hybrid - Space saver	Petrol - Full siz spare Hybrid - Space saver			
Active safety	Tucson	Elite	+ N Line option pack	Premium	+ N Line optio
Electronic Stability Control (ESC) including;			pack		pack
Anti-lock Braking System (ABS)	•	•	•		•
Brake Assist System (BAS)	•	•	•	•	•
Crosswind Stability Control (CSC)		•	•	•	•
Electronic Brakeforce Distribution (EBD)	•				•
Downhill Brake Control (DBC)		•	•	•	
Hill-start Assist Control (HAC)			•		
Multi Collision-Avoidance Brake (MCB)	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Vehicle Stability Management (VSM)	•	•	•	•	•
Hyundai SmartSense ™ including;					
Blind-Spot Collision-avoidance Assist (BCA)	•	•	•	•	•
Blind-Spot View Monitor (BVM)	-	_	_	•	•
Driver Attention Warning (DAW), including;					_
Forward Attention Warning (FAW)	•	•	•	•	•
Leading Vehicle Departure Alert (LVDA)	_	_	_	_	
Forward Collision-Avoidance Assist (FCA) - camera and radar type, including:					
Car / Pedestrian / Cyclist detection Direct Oncoming Junction Turning function (FCA-JT)	•	•	•	•	•
High Beam Assist (HBA) Highway Diriving Assist (HDA) including: Distance control and Lane Following Control	-	•	•	•	•

Hyundai TUCSON					
Intelligent Speed Limit Assist (ISLA)	•	•	•	•	•
Lane Following Assist (LFA)	•	•	•	•	•
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)	•	•	•	•	•
Navigation-based Smart Cruise Control (NSCC)	-	•	•	•	•
Parking Collision-Avoidance Assist - Reverse (PCA-R)	-	-	-	•	•
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	•	•	•	•	•
Rear Occupant Alert (ROA) - logic type	•	-	-	-	-
Rear Occupant Alert (ROA) - sensor type	-	•	•	•	•
Safe Exit Warning (SEW)	•	•	•	•	•
Smart Cruise Control (SCC), including;		_		_	
Stop & Go function (SCC w/ S&G)	•	•	•	•	•
Surround View Monitor (SVM) camera, including:					
Front view, rear view, front/rear side view					
Top down view w/tailgate guide lines, trailer connection mode, car wash entering mode	-	-	-	•	•
Rear wide view function - rear view image on command					
Other features					
Emergency Stop Signal (ESS)	•	•	•	•	•
Manual Speed Limit Assist (MSLA)	•	•	•	•	•
Parking Distance Warning - Forward/Reverse		_	_		
(PDW-F/R) Parking Distance Warning - Forward/Side/	•	•	•	-	-
Reverse (PDW-F/S/R) Rear View Monitor (RVM) camera - with dynamic	-	-	-	•	•
parking guidelines, including;					
Top down view w/tailgate guide lines, trailer connection mode	•	•	•	-	-
Rear wide view function - rear view image on command					
Steering wheel with Haptic feedback - SmartSense™ functions	•	•	•	•	•
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•	•	•	•
Passive safety	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Airbags					
Front airbags - driver & front passenger	•	•	•	•	•
Front centre side airbag	•	•	•	•	•
Side (thorax) airbags - driver & front passenger	•	•	•	•	•
Side curtain airbags	•	•	•	•	•
Doors					
Impact sensing auto door unlock	•	•	•	•	•
Rear door child safety locks	•	•	•	•	•
Seatbelts					
Emergency Locking Retractors (ELR) - all seating positions	•	•	•	•	•
	•	•	•	•	•
Load limiters - all seating positions				_	•
Load limiters - all seating positions Height adjustable upper mounts - front	•	•	•	•	
	•	•	•	•	•
Height adjustable upper mounts - front	•	•	•	•	•
Height adjustable upper mounts - front Seat belt reminder - all seating positions	•	•	•	•	•
Height adjustable upper mounts - front Seat belt reminder - all seating positions Seating Height adjustable head restraints - all seating	•	•	•	•	•

Hyundai TUCSON			ı N Line entien		I Ni Lino anti-
Security	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Security system					
Active lock/unlock operation (user configurable)	•	•	•	•	•
Anti-theft alarm	•	•	•	•	•
Central locking	•	•	•	•	•
Engine immobiliser	•	•	•	•	•
Remotes					
Smart Key remote - 2x	•	•	•	•	•
Bluelink® connected car service	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Vehicle functions					
Automatic Collision Notification (ACN)	•	•	•	•	•
Emergency Call (SOS) function	•	•	•	•	•
Connected Routing - server based navigation	-	•	•	•	•
Valet Mode function	•	•	•	•	•
Voice Control	•	•	•	•	•
Calendar integration (Google, iCloud)	•	•	•	•	•
Remote functions					
Alert Services	•	•	•	•	•
Remote functions	•	•	•	•	•
Remote climate control	•	•	•	•	•
Remote services					
Navigation	-	•	•	•	•
Vehicle status & notifications	•	•	•	•	•
Software updates					
Over The Air (OTA) software update capability	•	•	•	•	•
Digital Key					
Digital Key 2 Functionality	•	•	•	•	•
Multimedia system	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Audio/media sources					
AM/FM radio/Digital radio (DAB+)	•	•	•	•	•
Bluetooth® audio streaming	•	•	•	•	•
Satellite navigation with live traffic updates via Bluelink	-	•	•	•	•
JSB C multimedia input	•	•	•	•	•
Functions					
Apple CarPlay™ & Android Auto® compatibility	•	•	•	•	•
Bluetooth® Multi-Connection; 1 x phone/audio &				•	•
	•	•	•		
I x audio 12.3" Multimedia infotainment system with out	•	-	-	-	-
I x audio 12.3" Multimedia infotainment system with out navigation		-	-	-	-
x audio 2.3" Multimedia infotainment system with out navigation 2.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7'	•	-	-	•	•
I x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' in front and muted in rear	•	-	-		•
I x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' n front and muted in rear Radio Data System (RDS)	• -	-	- •	•	-
I x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' in front and muted in rear Radio Data System (RDS) Satellite Navigation	•	•	-	•	•
I x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' in front and muted in rear Radio Data System (RDS) Satellite Navigation Live traffic updates (Bluelink®)	•	•	•	•	- • •
1 x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' in front and muted in rear Radio Data System (RDS) Satellite Navigation Live traffic updates (Bluelink®) Voice memo function Speakers	• • • •	•	- • •	•	-
I x audio 12.3" Multimedia infotainment system with out navigation 12.3" Multimedia infotainment system navigation 12.3" Multimedia infotainment system navigation Quiet Mode function - Audio volume limited to '7' n front and muted in rear Radio Data System (RDS) Satellite Navigation Live traffic updates (Bluelink®)	• • • •	•	- • •	•	-

Hyundai TUCSON			+ N Line option		+ N Line option
Driving convenience	Tucson	Elite	pack	Premium	pack
Auto Hold function with Electronic Parking Brake (EPB)	•	•	•	•	•
Integrated Memory System (IMS) - 2 driver's seat positions (excluding lumbar)	-	-	-	•	•
Easy Access function - driver's seat	-	-	-	•	•
One touch turn signal - 3, 5, or 7 flashes	•	•	•	•	•
Rain sensing windscreen wipers	-	•	•	•	•
Rear wiper - 2-stage, with auto wipe in reverse	•	•	•	•	•
Remote start - via Smart Key	•	•	•	•	•
Smart Key system with push button start	•	•	•	•	•
Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, trip computer	•	•	•	•	•
Tilt & telescopic steering column	•	•	•	•	•
Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest	•	•	•	•	•
Driving engagement	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Drive Mode	•	•	•	•	•
Multi Terrain Mode	-	• (1.6T Hybrid AWD only)	• (1.6T Hybrid AWD only)	•	•
Shift By Wire (SBW) with Paddle shifters - steering wheel mounted	- (2.0 Petrol) • (1.6T Hybrid)	- (2.0 Petrol) • (1.6T Hybrid)	•	•	•
Occupant comfort & convenience	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Upholstery/trim					
Premium cloth seats	•	-	-	-	-
Leather ³ appointed seats	-	•	-	•	-
Leather ³ / suede appointed seats	-	-	•	-	•
Leather ³ appointed steering wheel	•	•	•	•	•
Front seats					
Driver's seat - height adjustable (manual)	•	-	-	-	-
Driver's seat - power lumbar support - 2-way	•	•	•	•	•
Driver's seat - power adjustable - 10-way (including lumbar)	-	•	•	•	•
Driver's seat - seat position change alert (multimedia system display)	-	-	-	•	•
Passenger's seat - power adjustable - 8-way	-	-	-	•	•
Passenger's seat - walk-in switch - driver's control for slide and recline	-	-	-	•	•
12V power outlet - 1x (centre console)	•	•	•	•	•
USB-C power outlet - 2x	•	•	•	•	•
Wireless charging pad (Qi standard) ⁴ - 1x	•	•	•	•	•
Grip handle - 1x (passenger)	•	•	•	•	•
Rear seats					
Backrest recline function - 2-way manual; 2x (60:40)	•	•	•	•	•
Centre fold down armrest	•	•	•	•	•
Grip handles - 2x	•	•	•	•	•
USB-C power outlets - 2x (rear centre console)	•	•	•	•	•
Windows/shades	_	_		_	_
Acoustic laminated windshield glass	•	•	•	•	•
Solar control windshield and front door glass	-	•	•	•	•
Rear privacy glass	-	•	•	•	•

Hyundai TUCSON					
One touch window up & down function with anti- pinching safety feature - All windows	•	•	•	•	•
Convenience opening/closing front & rear window function - Smart Key remote operated	•	•	•	•	•
Sun visor extensions - driver and front passenger	•	•	•	•	•
Doors/cargo/tailgate					
12V power outlet - 1x (cargo area)	•	•	•	•	•
Smart Power Tailgate - hands-free opening; speed & height adjustable	-	•	•	•	•
Vision & sight	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Interior mirror					
Electro Chromatic Mirror (ECM) - auto-dimming	-	•	•	•	•
Exterior mirrors					
Heated	•	•	•	•	•
Power adjustable with auto dip when reverse gear is engaged	-	-	-	•	•
Power folding - with auto fold upon door lock	•	•	•	•	•
Auto fold mirrors	•	•	•	•	•
Instrument cluster/driving displays					
Instrument cluster - 4" colour TFT-LCD display with analogue gauges	•	-	-	-	-
Instrument cluster - 12.3" colour TFT-LCD full screen digital display	-	•	•	•	•
Head-Up Display (HUD)	-	-	-	•	•
Ventilation & heating	Tucson	Elite	+ N Line option pack	Premium	+ N Line optior pack
Air conditioning					
Climate control - dual zone including;					
6.6" Touch type control panel					
Auto defog function, auto dehumidify function, and air-conditioning auto-drying function	•	•	•	•	•
Rear cooling/heating floor ducts - 2x	•	•	•	•	•
Rear cooling/heating air vents - 2x; centre console	•	•	•	•	•
Front seats					
Heated seats	-	•	•	•	•
Ventilated seats	-	-	-	•	•
Heated steering wheel	-	-	-	•	•
Rear seats					
Heated outboard seats	-	-	-	•	•
Other features					
Cabin air filter	•	•	•	•	•
Heated rear window - with timer	•	•	•	•	•
Exterior styling	Tucson	Elite	+ N Line option pack	Premium	+ N Line optior pack
Front/rear					
Grille - silver (silver H badge) w/clear DRL	•	-	-	-	-
Grille - dark chrome (dark silver H badge) w/clear DRL	-	•	-	-	-
Grille - dark chrome (dark silver H badge) w/ hidden DRL	-	-	-	•	-
Bumper insert trim - black	•	•	-	•	-
Skid plates - Matte Grey	•	•	-	•	-
Spoiler - tailgate mounted; body colour painted	•	•	-	•	-

Hyundai TUCSON					
N Line					
Alloy wheel design - N Line exclusive	-	-	•	-	•
Badges/wheel centre caps - N Line exclusive	-	-	•	-	•
Bumpers - N Line exclusive	-	_	•	_	•
Cladding - body colour painted	_	_	•	_	
Door frame moulding - upper; gloss black	_	_	•	_	
Exhaust outlet - N Line exclusive; dual tips,			_		
chrome	-	-	•	-	•
Grille - N Line exclusive; black (including H badge) w/hidden DRL	-	-	•	-	•
Mirror caps - gloss black	-	-	•	-	•
Mirror insert - gloss black	-	-	•	-	•
Rear spoiler - N Line exclusive; w/aero fins, body colour painted	-	-	•	-	•
Side skirts - N Line exclusive	-	-	•	-	•
Skid plates - N Line exclusive; silver painted	-	-	•	-	•
Other features					
Roof aerial - gloss black; shark fin type	•	•	•	•	•
Door frames, rear spoiler wind deflector - gloss black	-	-	•	•	•
Roof rails - matte black	•	•	-	-	-
Roof rails - gloss black	-	_	•	•	•
			+ N Line option		+ N Line option
Interior styling	Tucson	Elite	pack	Premium	pack
Finishes					
Interior finishes - gloss black & alloy effect	•	•	-	•	-
Dashboard & door centre trim - premium cloth	•	•	•	•	•
Headlining - cloth	•	•	•	•	•
N Line					
Interior finishes - gloss black & dark metal	-	-	•	-	•
Door entry scuff trim - alloy	-	-	•	-	•
Headlining, A & B pillars - black finish	-	-	•	-	•
Seats, dashboard, door armrests, centre console armrest - red stitching and/or highlights	-	-	•	-	•
Sports pedals - alloy	-	-	•	-	•
Steering wheel - perforated leather grips, red stitching, N emblem	-	-	•	-	•
	_	-11.	+ N Line option		+ N Line option
Lighting	Tucson	Elite	pack	Premium	pack
Exterior lighting - front					
Daytime Running Lights (DRL) - LED	•	•	•	•	•
Headlight functions - automatic dusk sensing with escort and welcome	•	•	•	•	•
Headlight levelling device - manual type	•	•	-	-	-
Headlight lighting source - LED (low/high beam)	•	•	•	•	•
Headlight type - Projector beam with Intelligent Front Lighting System (IFS)	-	-	•	•	•
Indicator lights - LED	•	•	•	•	•
Positioning lights - LED	-	-	•	•	•
Static cornering lights - LED	•	•	-	-	-
Exterior lighting - rear					
High Mount Stop Light (HMSL) - LED	•	•	•	•	•
Number plate lights - LED	-	_	•	_	•
Reversing Lights - LED	_	_	•	_	•
Positioning light - LED; full width	•	•	•	•	
	•	•		•	•
Stop lights - LED Tinted taillight lances	-	-	•	-	•
Tinted taillight lenses	-	_	•	-	•

Hyundai TUCSON Interior lighting - front					
	-				
Front room lights and map lights - LED	•	•	•	-	-
Personal lights and map lights - LED	-	-	-	•	•
Glovebox compartment light	•	•	•	•	•
Vanity mirror lights	•	•	•	•	•
Ambient lighting - LED, includes; Front door pockets, centre console front storage area	-	-	-	•	•
Centre console side storage area					
Interior lighting - rear					
Centre room light LED	•	•	•	-	-
Outboard room lights and map lights - LED	_	-	-	•	•
Interior lighting - others					
Cargo area light - LED	•	•	•	•	•
Interior light fade-out delay	•	•	•	•	•
Storage solutions	Tucson	Elite	+ N Line option pack	Premium	+ N Line option pack
Front seats					
Bottle holders - doors	•	•	•	•	•
Cup holders - centre console; 2x	•	•	•	•	•
Glovebox compartment	•	•	•	•	•
Map pockets - doors	•	•	•	•	•
Ticket holders - sun visors; 2x	•	•	•	•	•
Rear seats					
Bottle holders - doors	•	•	•	•	•
Coat hook - 1x	•	•	•	•	•
Cup holders - armrest; 2x	•	•	•	•	•
Front seat back pockets	•	•	•	•	•
Seat backrest - split folding (60:40)	•	•	•	•	•
Seat belt holder - rear outboard seats	•	•	•	•	•
Cargo/Luggage area					
Cargo cover - dual position; retractable	•	•	•	•	•
Luggage floor board - foldable	•	•	•	•	•
Luggage net	•	•	•	•	•
Luggage tie down points - 6x	•	•	•	•	•
Remote levers - seat backrest split folding	•	•	•	•	•
Storage recess - underfloor sides; 2x	•	•	•	•	•
Others					
Roof rails	•	•	•	•	•

• = Feature included as standard on trim - = Feature is not available on trim

1. Apple CarPlay requires compatible device in order to operate. 2. Android Auto requires a compatible device in order to operate. 3. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof. 4. Wireless charging requires compatible device in order to operate.