Hyundai TUCSON. Specifications.

Rear

and interview in the

Engine	SmartStream G2.0	SmartStream G1.6	SmartStream D2.0			
Configuration	Transverse front mounted driving front wheels	Transverse front mounted driving front & rear wheels	Transverse front mounted driving front & rear wheels			
Cylinder capacity	2.0 litres (1,999 cc)	1.6 litres (1,598 cc)	2.0 litres (1,998 cc)			
Number of cylinders	4 in-line	4 in-line	4 in-line			
Valve system	16 Valve (HLA)	16 Valve (HLA) 16 Valve (CVVD)				
Intake system	Variable induction system	Variable induction system Turbocharger				
Maximum power	115 kW @ 6,200 RPM	132 kW @ 5,500 RPM	137 kW @ 4,000 RPM			
Maximum torque	192 Nm @ 4,500 RPM	265 Nm @ 1,500 - 4,500 RPM	416 Nm @ 2,000 - 2,750 RPM			
Fuel system	Multi Point injection (MPi)	T-GDi (Turbo Gasoline Direct Injection)	CRDi (Common Rail Direct Injection)			
Fuel type	91 RON (ULP), E10 compatible	91 RON (ULP), E10 compatible	Diesel			
Emissions standard	Euro 5	Euro 5	Euro 5			
Bore x stroke	81.0 mm x 97.0 mm	75.6 mm x 89.0 mm	83.0 mm x 92.3 mm			
Compression ratio	10.8:1	10.5:1	16:1			
Transmission	SmartStream G2.0	SmartStream G1.6	SmartStream D2.0			
All Wheel Drive (AWD) system	-	Active on-demand 4WD	Active on-demand 4WD			
Automatic	6 speed automatic	-	8 speed automatic			
Dual Clutch Transmission (DCT)	-	7 speed Dual Clutch Transmission (dry clutch)	-			
Gear ratio	Automatic	DCT	Automatic			
1st	4.400	3.929	4.808			
2nd	2.726	2.318	2.901			
3rd	1.834	1.957	1.864			
4th	1.392	1.023	1.424			
5th	1.000	0.778	1.219			
6th	0.774	0.837	1.000			
7th	-	0.681	0.799			
8th	-	-	0.648			
Reverse	3.440	5.304	3.425			
Final	3.702	4.929 (1st, 2nd, 4th, 5th) 3.632 (3rd, 6th, 7th, Reverse)	3.195			
Engine/transmission availability	SmartStream G2.0	SmartStream G1.6	SmartStream D2.0			
	Automatic	DCT	Automatic			
Tucson	•	-	-			
Elite	•	•	•			
Highlander	•	•	•			
Steering						
Туре	Column mou	nted Motor Driven Power Steeri	ng (C-MDPS)			
Minimum turning circle diameter between kerbs / walls		11.8 m				
Number of steering wheel turns lock to lock		2.41				
Suspension						
Front	MacPherson strut					

Multi-link

System	Dual-diagonal, split circuit, power assisted with Electronic Brakeforce Distribution (EBD) and Brake Assist System (BAS)							
Front brake type	Ventilated disc							
Front disc dimensions			305 mm >	< 25 mm				
Rear brake type			Solid	disc				
Rear disc dimensions	300 mm x 10 mm							
Weight	SmartStre	am G2.0	SmartStr	eam G1.6	SmartStre	am D2.0		
	Autor	natic	DC	т	Autor	natic		
Kerb weight - lightest	1428	kg	1560) kg	1680) kg		
Kerb weight - heaviest	1530	1530 kg 1689) kg	1810) kg		
Gross Vehicle Mass (GVM)	2030) kg	2190) kg	2315	i kg		
Permissible Axle Weight (PAW) - front	1260	kg	1260) kg	1260) kg		
Permissible Axle Weight (PAW) - rear	1200) kg	1200) kg	1200) kg		
Roof rack load limit	100	kg	100	kg	100	kg		
Towing capacity	SmartStre	am G2.0	SmartStre	eam G1.6	SmartStre	eam D2.0		
	Autor	natic	DC	т	Autor	natic		
Braked	1650	kg	1650) kg	1900) kg		
Unbraked	750	kg	750	kg	750	kg		
Maximum towball weight	100	kg	100	kg	100	kg		
Maximum towball weight (equipped with Hyundai Genuine Load Assist Kit)	-		-		160	kg		
Fuel consumption*	SmartStre	am G2.0	SmartStre	eam G1.6	SmartStre	eam D2.0		
	Autor	natic	DC	ст	Autor	natic		
Combined (L/100km)	8.	1	7.	2	6.	3		
Urban (L/100km)	11.	0	8.	8	7.	7		
Extra Urban (L/100km)	6.	5	6.	3	5.	4		
	184 164			163				
CO ₂ - combined (g/km)	18	4	16	4	16	3		
CO ₂ - combined (g/km) Fuel tank volume	18	4		4 4 L	16	3		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high	way cycle test. Re	al world fuel co	5 nsumption will v	4 L ary depending	on a combinatio			
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o	way cycle test. Re	al world fuel co I/02 test results	5 nsumption will v	4 L ary depending omparison purp	on a combinatio	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions	way cycle test. Re conditions. ADR 8'	al world fuel co I/02 test results	5 nsumption will v are meant for co	4 L ary depending omparison purp	on a combinatio poses only.	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior	way cycle test. Re conditions. ADR 8'	al world fuel co I/02 test results	5 nsumption will v are meant for co	4 L ary depending omparison purp te	on a combinatio poses only.	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack)	way cycle test. Re conditions. ADR 8'	al world fuel co I/02 test results	5 nsumption will v are meant for co	4 L Pary depending pomparison purp te 4640 mm)	on a combinatio poses only.	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width	way cycle test. Re conditions. ADR 8'	al world fuel co I/02 test results	5 nsumption will v are meant for co Eli 4630 mm (4	4 L ary depending omparison purp te 4640 mm) mm	on a combinatio poses only.	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height	way cycle test. Re conditions. ADR 8'	al world fuel co I/02 test results	5 nsumption will v s are meant for co Eli 4630 mm (4 1865	4 L ary depending omparison purp te 4640 mm) mm	on a combinatio poses only.	n of driving		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height Wheelbase	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results son 1627 mm	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm /	4 L ary depending pomparison purp te 4640 mm) mm mm 1622 mm	on a combinatio oses only. Highlo	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack)	way cycle test. Re conditions. ADR 8' Tuce	al world fuel co I/O2 test results son 1627 mm	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755	4 L ary depending comparison purp te 4640 mm) mm mm 1622 mm 1622 mm	on a combinatio poses only. Highlo	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight)	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results son 1627 mm 1622 mm)	5 nsumption will v are meant for co e 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm /	4 L ary depending pomparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Winimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel)	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results son 1627 mm 1622 mm)	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm /	4 L ary depending pomparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Winimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) nterior	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results con 1627 mm 1622 mm) 18.3	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm /	4 L ary depending pmparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm 22.6°) / 17.8° (17	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather o Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof)	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results con 1627 mm 1622 mm) 18.3	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm 22.6°) / 17.8° (17 968 mm / 990 n	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof) Leg room front / rear	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results con 1627 mm 1622 mm) 18.3	5 nsumption will v are meant for co 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm 22.6°) / 17.8° (17 968 mm / 990 1 1050 mm	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof) Leg room front / rear	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results con 1627 mm 1622 mm) 18.3	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm /	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) nm 22.6°) / 17.8° (17 968 mm / 990 n 1050 mm 1422 mm	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear Shoulder room front / rear	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/O2 test results con 1627 mm 1622 mm) 18.3	5 nsumption will v are meant for co 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1464 mm /	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm 1622 mm 1050 mm 1422 mm 1369 mm	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear Shoulder room front / rear	way cycle test. Re conditions. ADR 8 Tuce	al world fuel co I/02 test results con 1627 mm 1622 mm) 18.3 1019 1019	5 nsumption will v are meant for cc 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1385 mm /	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1050 mm 1422 mm 1422 mm 1369 mm 1860 L N Line	on a combinatio oses only. Highlo 1615 mm / (1615 mm /	n of driving ander 1622 mm 1622 mm)		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear Shoulder room front / rear Hip room front / rear Cargo area - VDA (minimum / maximum) Wheels & tyres	way cycle test. Re conditions. ADR 8' Tuc: 1620 mm / (1615 mm /	al world fuel co I/02 test results con 1627 mm 1622 mm) 18.3 1019 1019 N Line option	5 nsumption will v are meant for cc 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / 1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1464 mm / 1385 mm / 539 L / 7 Elite	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1620 mm 1620 mm 1620 mm 17.8° (17 968 mm / 990 f 1050 mm 1422 mm 1369 mm 1860 L N Line option	on a combinatio poses only. Highlo 1615 mm / (1615 mm / .3°) mm) Highlander	n of driving ander 1622 mm 1622 mm)		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof) Leg room front / rear Shoulder room front / rear Hip room front / rear Wheels & tyres Wheel type	way cycle test. Re conditions. ADR 8 Tucs 1620 mm / (1615 mm / (1615 mm /) Tucson Alloy 17 x 7.0J	al world fuel co I/02 test results con 1627 mm 1622 mm) 18.3 18.3 1019 1019 N Line option Alloy	5 nsumption will v are meant for cc 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1464 mm / 1385 mm / 539 L / 7 Elite Alloy	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1050 mm 1422 mm 1369 mm 1369 mm 1360 L N Line option Alloy	on a combinatio poses only. Highla (1615 mm / (1615 mm / (1615 mm / .3°) mm) Highlander Alloy	n of driving ander 1622 mm 1622 mm) 1622 mm) 1622 mm) 1620 mm 1620 mm		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather or Dimensions Exterior Length (with N Line pack) Width Height Wheel base Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof) Leg room front / rear Shoulder room front / rear Hip room front / rear Cargo area - VDA (minimum / maximum) Wheel type Wheel type Wheel dimensions	way cycle test. Re conditions. ADR 8' Tucs 1620 mm / (1615 mm / (1615 mm /	al world fuel co I/02 test results ion 1627 mm 1622 mm) 18.3 1019 1019 1019 N Line option Alloy 19 x 7.5J +51 235/55 R19	5 nsumption will v are meant for cc Eli 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / (1615 mm / 181 n 3° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1464 mm / 1385 mm / 539 L / 7 Elite Alloy 18 x 7.5J +51 235/60 R18	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm) 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1620 mm 1620 mm 1620 mm 17.8° (17 968 mm / 990 f 1050 mm 1422 mm 1369 mm 1860 L N Line option	on a combinatio poses only. Highlo 1615 mm / (1615 mm / .3°) mm) Highlander	n of driving ander 1622 mm 1622 mm) 1622 mm) 1622 mm) 1620 mm 1620 mm		
Fuel tank volume *Source: Australian Design Rule 81/02 static laboratory combined average city and high habits, the condition of the vehicle, and other factors such as road, traffic and weather of Dimensions Exterior Length (with N Line pack) Width Height Wheelbase Wheel track - front / rear (N Line pack) Minimum ground clearance (based on kerb weight) Approach / departure with (N Line pack) / ramp break over angle (Diesel) Interior Head room front / rear (w/ sunroof) Leg room front / rear Hip room front / rear Hip room front / rear Wheels & tyres Wheel type	way cycle test. Re conditions. ADR 8' Tucs 1620 mm / (1615 mm / (1615 mm /) 1620 mm / (1615 mm /) 1620 mm / (1615 mm /) 1620 mm / (1615 mm /) 17 x 7.0 J +48.5	al world fuel co I/02 test results on 1627 mm 1622 mm) 18.3 1019 18.3 1019 N Line option Alloy 19 x 7.5J +51	5 nsumption will v are meant for cc 4630 mm (4 1865 1665 2755 1615 mm / (1615 mm / (1615 mm / 181 n 1° / 25.6° (18.3 / 2 mm / 1002 mm (1052 mm / 1464 mm / 1385 mm / 539 L / 7 Elite Alloy 18 x 7.5J +51	4 L ary depending omparison purp te 4640 mm) mm mm 1622 mm 1622 mm 1622 mm 1622 mm 1622 mm 1050 mm 1422 mm 1369 mm 1422 mm 1369 mm 1369 mm 1860 L N Line option Alloy 19 x 7.5 J +51	on a combinatio poses only. Highlo 1615 mm / (1615 mm / (1615 mm / .3°) mm) Highlander Alloy 19 x 7.5J +51	n of driving inder 1622 mm 1622 mm) 1622 mm) N Line option Alloy 19 x 7.5J +51		

Interpretation of the interp	Driving convenience	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Integrated Memory System (MS) - oliver Stak<	Electronic Parking Brake (EPB) (with auto hold function)	•		•		•	
Die bach han signal 7.5 or 7 hinterInI		-		-	-	•	•
Anisoting open energyIndex open and set of the set o		•	•	•	•	•	•
names derivation of part reversai.e.	• • • •	-	-	•	•	•	•
analysisi.e. <t< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>		•	•	•	•	•	•
Pender surt. vis Sunt Xey<		-	-	•	•	•	•
MIN BARY CARL NI IN ARCON CARL CARL CONTRACT CARL 		-	-	•	•	•	•
Number of the set show with red statisting invaluable on 2000 arises assist a trip Steering plane manuel denotes a subject of an assist a trip set of an above of a set		-	-	•	•	•	•
Seeinguine comparisonSeriesS		-	•	-	•	_	•
original constraintsimageimageimageimageDays and 3 antiopytices, knowl, sports (persidual to AUV variants only Drive made - 3 antiopytices, knowl, sports, snowl (persidual to AUV variants only AUV constraints, somity (persidual to AUV variants only)image			-				-
Driven and - 1 setting (Ex), Normal, Sports) (available on 2MD variants only)Inter and - 1 setting (Ex), Normal, Sports, Smarl O variants only)Inter and - 1 setting (Ex), Normal, Sports, Smarl O variants only)Inter and - 1 setting (Ex), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants only)Inter and - 1 setting (EX), Normal, Sports, Smarl O variants, Smarl O							
Divide adjugative Drive adjugat	lilt & telescopic steering column	•		•		•	
Intermede 4 settings (Sca, Narmal, Sports, Smart) (wallable on Diasel avariants conv)II	Driving engagement	Tucson		Elite		Highlander	
Multierrain mode -1 settings (Snow, Mad, Sand) (available on Diese Variants only)II	Drive mode - 3 settings (Eco, Normal, Sports) (available on 2WD variants only)	•	•	•	•	•	•
Available on Avtro Variants onlyI.	Drive mode - 4 settings (Eco, Normal, Sports, Smart) (available on AWD variants only)	-	-	٠	•	•	•
Pedde shifters (available on AVD variants only)In <td>Multi terrain mode - 3 settings (Snow, Mud, Sand) (available on Diesel variants only)</td> <td>-</td> <td>-</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Multi terrain mode - 3 settings (Snow, Mud, Sand) (available on Diesel variants only)	-	-	•	•	•	•
Active sofesyTuconNulsoElleMainMajorantNulsoElectronic Stability Control (ESC) including:IIIIIIIAnti-lock Ersking System (ABS)III<	AWD lock mode (available on Petrol AWD variants only)	-	-	•	•	•	•
Acture Stability Control (ESC) Including:Inc.OothomCitleOptionOptionOptionElectronic Stability Control (ESC) Including:<	Paddle shifters (available on AWD variants only)	-	-	٠	•	•	•
Electronic Stability Control (ESC) including;Interm	Active safety	Tucson		Elite		Highlander	
Anti-lack Braking System (ABS)Image of the sector of the sect	Electronic Stability Control (ESC) including:		option		option		option
Brake Asist System (BAS)Image and the state of the state o		•	•	•	•	•	•
Electronic Brakeforce Distribution (EBD)International state of the stat		•	•	•	•	•	•
Downhill Brake Control (DBC)Image and the set of the		•	•	•	•	•	•
Hill-start Assist Control (HAC)Image: state of the state o		•	•	•	•		•
Trailer Stability Assist (TSA)Image and the stability Assist (TSA)Image and t		•	•	•	•	•	•
Multi-Collision Braking (MCB)Image and the set of th		•	•	•	•	•	•
Traction Control System (TCS)Image and the set of th		•	•	•	•	•	•
Vehicle Stability Management (VSM)Image and the stability Man		•	•	•	•	•	•
Hyundai SmartSense" including;Image: state of the state of		•	•	•	•	•	•
Bind-Spot Collision-Avoidance AssistImage: Ambit Ambi							
Blind-Spot View Monitor (BVM)Image: Additional additionadditional additional addition		•	•	•	•	•	•
Driver Attention Warning (DAW)Image: Attention Warning (DAW)Im		-	-		-	•	•
Leading Vehicle Departure Alert (LVDA)Image: Car/Pedestrian/Cyclist detectionImage: Car/Pede		•	•	•	•	•	•
Forward Collision-Avoidance Assist (FCA) - camera and radar type, including: - Car/Pedestrian/Cyclist detection - Car/Pedestrian/Cyclist detection - Car/Pedestrian/Cyclist detection - City/Urban/Interurban operational speeds - City/Urban/I		•	•	•	•	•	•
- Car/Pedestrian/Cyclist detection- Car/Pedestrian/Cyclist detection- City/Urban/Interurban operational speeds- Junction Turning (FCA-JT) functionalityHigh Beam Assist (HBA)Lane Keeping Assist - Line/Road-Edge (LKA-L/R)Lane Following Assist (LFA)Lane Following Assist (LFA)Parking Collision-avoidance Assist-Rear (PCA-R)Corest-Traffic Collision-Avoidance Assist (RCA)Rear Occupant Alert (ROA)Rear Occupant Alert (ROA)Renote Smart Parking Assist System (RSPAS) (available on Diesel variants only)Surround View Monitor (SVM)Intelligent Speed Limit Assist (ISLA)Intelligent Speed Limit Assist (ISLA)Safe Exit Warning (SEW)Renot Crust Cyclistion-Rear (SCCW) S&G)Renot Crust Cyclistion (SCCW) S&G)Renot Crust Cyclistion (SCCW) S&G)Renote Crust Cyclistion (SCCW) S&G)Renot Crust Cyclistion (SCCW) S&G)Renot Cyclistion (SCCW) (S&G)Renot Cyclistic (SCCW) (S&G)Renot Cyclistic (SCCW) (S&G)Renot Cyclistic (SCCW) (S&G)Reno	• · · · ·						
- City/Urban/Interurban operational speeds- City/Urban operational speeds- City/Urban operational speeds- City/Urban		-					
- Junction Turning (FCA-JT) functionalityImage: Problem State Sta		- •	•	•	•	•	•
High Beam Assist (HBA)Image: Constraint of the sequence of the sequen		-					
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)Image: Construction of the second se		-	•	-	•	•	•
Lane Following Assist (LFA)Image: Construct of the second sec		•		•			•
Parking Collision-avoidance Assist-Rear (PCA-R) <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•	•	•
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)Image: Construct of the second		-	-	-	-	•	•
Rear Occupant Alert (ROA)Image: Comparison of the compariso		•	•	•	•	•	•
Rear Occupant Alert (ROA) - Advanced <td></td> <td>•</td> <td></td> <td></td> <td>-</td> <td>-</td> <td>-</td>		•			-	-	-
Remote Smart Parking Assist System (RSPAS) (available on Diesel variants only) </td <td></td> <td>-</td> <td>-</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		-	-	•	•	•	•
Surround View Monitor (SVM) -		-	-		-	•	•
Intelligent Speed Limit Assist (ISLA) • • • • • • • Safe Exit Warning (SEW) • • • • • • • Smart Cruise Control with Stop & Go (SCC w/ S&G) • • • • • •		-	-	-	-		•
Safe Exit Warning (SEW) • • • • • Smart Cruise Control with Stop & Go (SCC w/ S&G) • • • • •		•	•	•	•	•	•
Smart Cruise Control with Stop & Go (SCC w/ S&G) • • • • • •		•	•	•	•	•	•
		•	•		•	•	•
	Steering wheel with Haptic feedback	•	•	•	•	•	•

Other features						
Emergency Stop Signal (ESS)	٠	•	•	•	•	•
Park Assist System (PAS) - front (4 sensors, with guidance display)	-	-	•	•	•	•
Park Assist System (PAS) - rear (4 sensors, with guidance display)	٠	•	•	•	•	•
Rear view camera with dynamic guide lines	٠	•	•	•	•	•
Speed limiter	•	•	•	•	•	•
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	٠	•	•	•	•	•
Passive safety	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Airbags						
Front airbags - driver & front passenger	٠	•	•	•	•	•
Side (thorax) airbags - driver & front passenger	٠	•	•	•	•	•
Side curtain airbags - 1st & 2nd rows	•	•	•	•	•	•
Centre airbag	٠	•	•	•	•	•
Roll-over sensor	٠	•	•	•	•	•
Doors						
Impact sensing auto door unlock	•	•	•	•	•	•
Rear door child safety locks	٠	•	•	•	•	•
Seatbelts						
Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•	•	•	•	•
Seat belt reminder - front seats	•	•	•	•	•	•
Seat belt reminder / monitor - rear seats	•	•	•	•	•	•
Seat belt holder (rear outboard seats)	•	•	•	•	•	•
Seating						
Height adjustable front head restraints	•	•	•	•	•	•
Height adjustable rear head restraints	•	•	•	•	•	•
ISOFIX child restraint anchors (rear outboard seats)	•	•	•	•	•	•
Top tether child restraint anchors (rear) - 3 anchors	•	•	•	•	•	•
Security	Tucson	N Line	Elite	N Line	l liste laure el e u	N Line
Security	rucson					
		option	Ente	option	Highlander	option
Security system						option
Active lock/unlock operation (user configurable)	•	option •	•	option •	Fignianaer	
Active lock/unlock operation (user configurable) Anti-theft alarm	•					option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking		•	•	•	•	option •
Active lock/unlock operation (user configurable) Anti-theft alarm	•	•	•	•	•	option • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking	•	•	•	•	•	option • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser	•	•	•	•	•	option • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes	•	•	•	• • • • • • • • • • • • • • • • • • • •	•	option • • • • · ·
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x	•	•	•	• • •	•	option • • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x	• • • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • N Line	• • • •	option • • • • · · · · · · · ·
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service	• • • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • N Line	• • • •	option • • • • · · · · · · · ·
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions	• • • - Tucson	• • • • • • •	· · · · · Elite	• • • • N Line option	• • • • Highlander	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted	• • • - Tucson	• • • • • • •	· · · · Elite			option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted information informa	• • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • Elite		· · · · · · · · · · · · · · · · · · ·	option • • • • N Line option • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted	• • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • Elite		· · · · · · · · · · · · · · · · · · ·	option • • • • N Line option • •
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected corservice Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control	• • • • • • • • • • • • • • • • • • •	• • • • • • •	- - Elite		Image: state	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink° connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control Automatic functions	• • • • • • • • • • • • •	• • • • • • •	- - - Elite		- - - Highlander - - - - - - - - - - - - - - - - - - -	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics	• • • • • • • • • • • • •	• • • • • • •	- - - Elite		- - - Highlander - - - - - - - - - - - - - - - - - - -	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote functions	• • • • • • • • • • • • • • • • • • •	• • • • • • •			. . <td< td=""><td>option</td></td<>	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote door lock/unlock, window open/close, window ventilation	• • • • • • • • • • • • • • • • • • •	• • • • • • •	- - - Elite		- - - Highlander - - - - - - - - - - - - - - - - - - -	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote door lock/unlock, window open/close, window ventilation Remote hazard warning lights and horn	• • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• •	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote door lock/unlock, window open/close, window ventilation Remote hazard warning lights and horn Remote engine start Remote climate control - including; windscreen defog, heated rear window/side	• • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• •	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink* connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote door lock/unlock, window open/close, window ventilation Remote engine start Remote control - including; windscreen defog, heated rear window/side mirrors, heated seat/steering wheel' & ventilated seat' operation Remote services Navigation - destination send to car, connected routing, AR last-mile navigation,	• • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• •	option
Active lock/unlock operation (user configurable) Anti-theft alarm Central locking Engine immobiliser Remotes Keyless entry remote - 2x Smart Key remote - 2x Bluelink® connected car service Vehicle functions Automatic Collision Notification (ACN) Emergency Call (SOS) function Valet Mode function - geo-fencing, time-fencing, speed alert & restricted infotainment control Voice Control - natural voice recognition, including; navigation, phone, climate control & vehicle functions Calendar integration (Google, iCloud) - weather forecast information & vehicle diagnostics Remote functions Remote door lock/unlock, window open/close, window ventilation Remote engine start Remote climate control - including; windscreen defog, heated rear window/side mirrors, heated seat/steering wheel' & ventilated seat' operation	• • • • • • • • • • • • • • • • • • •	• • • • • • •	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •	Image: Control of the sector of the secto	option - - - - - - - - - - - - -

FunctionsApple CarPlay2 & Android Auto3 compatibilityApple CarPlay2 & Android Auto3 compatibility (wireless)Bluetooth phone connectivitySatellite navigationLive Traffic UpdatesTouch screen - 8" displayTouch screen - 10.25" displaySpeakersAudio system - 6 speakersBose™ premium audio system - 8 speakers with external amplifierAudio/media sourcesAM/FM radioDigital radio (DAB+)	• • • • • •	option • • - - - -	• • • •	option • · • • • ·	- - -	option
Apple CarPlay² & Android Auto³ compatibility (wireless) Bluetooth phone connectivity Satellite navigation Live Traffic Updates Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	• • • • • • • • • • • • • • • • • • • •	•	- • •	-	- •	-
Apple CarPlay² & Android Auto³ compatibility (wireless) Bluetooth phone connectivity Satellite navigation Live Traffic Updates Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	•	-	•	-	•	
Bluetooth phone connectivity Satellite navigation Live Traffic Updates Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	- - -	-	•	•	•	
Satellite navigation Live Traffic Updates Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	- - -	-	•	•		•
Live Traffic Updates Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	• -		-	•		
Touch screen - 8" display Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	-	•	-	-	•	•
Touch screen - 10.25" display Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio		-			_	-
Speakers Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio			•	•	•	•
Audio system - 6 speakers Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio						
Bose™ premium audio system - 8 speakers with external amplifier Audio/media sources AM/FM radio	-	•	•	•	-	_
Audio/media sources AM/FM radio			-	-	•	•
AM/FM radio						
	•	•	•	•	•	•
	_	_	•	•	•	•
Radio Data System (RDS)	_	_	•	•	•	•
USB multimedia input	•	•	•	•	•	•
Multi Bluetooth phone connectivity	•	•	•	•	•	•
Bluetooth audio streaming	•	•	•	•	•	•
		N Line	-	N Line	-	N Line
Occupant comfort & convenience	Tucson	option	Elite	option	Highlander	option
Upholstery/trim						
Leather⁴ appointed interior - gear knob (available on 2WD variants only)	•	•	•	•	•	•
Leather⁴appointed interior - steering wheel	•	•	•	•	•	•
Leather⁴appointed interior - seats	-	-	•	-	•	-
N Line exclusive Suede and Leather ⁴ appointed interior - seats	-	•	-	•	-	•
Black cloth headlining	-	•	-	•	-	•
Front seats						
Driver's seat - height adjustable	•	•	•	•	•	•
Driver's seat - manually adjustable with power adjustable lumbar support - 2-way	•	•	-	-	-	-
Driver's seat - power adjustable - 10-way (including 2-way lumbar support)	-	-	•	•	•	•
Passenger's seat - power adjustable - 8-way	-	-	-	-	•	•
Passenger's seat - walk-in switch - driver's control for slide and recline	-	-	-	-	•	•
Front centre console - power outlet - 1 x 12V outlet	•	•	٠	•	•	•
Front centre console - power outlet - 1 x USB charging port	٠	•	•	•	•	•
Front centre console -1 x multimedia USB	•	•	•	•	•	•
Front centre console - wireless charging pad (Qi standard) ⁵	•	•	•	•	•	•
Grip handles - 1x (passenger)	•	•	•	•	•	•
Rear seats						
Centre fold down armrest	•	•	•	•	•	•
Grip handles - 2x	•	•	•	•	•	•
Rear centre console - power outlet - 2 x USB charging ports	•	•	•	•	•	•
Windows/shades						
Acoustic laminated windshield glass	•	•	•	•	•	•
Solar control windshield glass	-	-	•	•	•	•
Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind	-	-	-	-	•	•
Power windows - front & rear	•	•	•	•	•	•
One touch window up & down function with anti-pinching safety feature - front row	•	•	•	•	•	•
One touch window up & down function with anti-pinching safety feature - second row	-	-	•	•	•	•
Front solar control glass	-	-	•	•	•	•
Rear privacy glass	-	_	•	•	•	•
Sunvisor extensions - driver and front passenger	•	•	•	•	•	•
	•	•	•	•	•	•
Doors/boot/tailgate	•	-	-	-	•	•
Luggage area power outlet - 1 x 12V outlet Smart Tailgate (rear power tailgate with hands-free opening)	•	•	•	•	•	•

Vision & sight	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Interior mirror		option		option		option
Electro-Chromatic Mirror (ECM)	_	_	_	-	•	•
Exterior mirrors						
Heated	•	•	•	•	•	•
Power adjustable	•	•	•	•	•	•
Power folding with auto fold function	•	•	•	•	•	•
Instrument cluster/driving displays						
Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer	•	-	•	-	-	-
Supervision cluster - 10.25" TFT colour LCD with trip computer & digital speedometer	-	•	-	•	•	•
	Tuesen	N Line	Elite	N Line	Highlander	N Line
Ventilation & heating	Tucson	option	Einte	option	Highliander	option
Air conditioning						
Climate control - dual zone	-	-	•	•	•	•
Climate control - dual zone with auto de-humidify and defog function	-	-	•	•	•	•
Air diffuser mode - front cabin	-	-	•	•	•	•
Manual controls - with auto de-humidify and defog function	•	•	-	-	-	-
Cabin air filter	•	•	•	•	•	•
Cooling/heating vents - rear centre console	•	•	•	•	•	•
Cooling/heating vents - rear floor	•	•	•	•	•	•
Front seats						
Air ventilated front seats	-	-	-	-	•	•
Heated front seats	-	-	•	•	•	•
Heated rear seats	-	-	-	-	•	•
Other features						
Heated rear windshield	•	•	•	•	•	•
Heated steering wheel	-	-	-	-	•	•
Exterior styling	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Front						
Front grille - dark chrome	•	-	•	-	-	-
Front grille - dark chrome (gloss finish)	-	-	-	-	•	•
N Line exclusive front grille - dark chrome (gloss finish)	-	•	-	•	-	•
Front grille - hidden DRL		1				
Front grille - chrome H badge	-	•	-	•	•	•
Front grille - dark chrome H badge (gloss finish)	•	•	-	-	•	•
		• - •				
Front lower bumper grille - silver insert	•	-	•	-	-	-
	•	-	•	-	-	-
Front lower bumper grille - silver insert	• - •	-	• - •	-	- • -	-
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert	•	-	•	- • -	- • -	- • -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design	•	- • -	•	- • -	- - -	- • -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted	• - - - - -	- - - - -	• - - - - -	- - - -	- • •	- - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted	•	- - - - -	•	- - - -	- - - - -	- - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille)	•	- - - - -	•	- - - -	- - - - -	- - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille) Side	•	- - - - -	•	- - - - -	- - - - - - -	- - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille) Side Door frame & beltline moulding - chrome	•	- - - - - -	•	- - - - - -	- - - - - - -	- - - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille) Side Door frame & beltline moulding - chrome Door frame & beltline moulding - black (gloss finish)	• - - - - - - - - -	- - - - - -	• - - - - - - - - -	- - - - - -	- - - - - - - - - - - - - -	- - - - - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille) Side Door frame & beltline moulding - chrome Door frame & beltline moulding - black (gloss finish) Exterior door handles - body colour	• - - - - - - - - - - - - -	- - - - - - - - - - -	• - - - - - - - - - - - -	- - - - - - - - - - -	- - - - - - - -	- - - - - - - - - - - - - -
Front lower bumper grille - silver insert Front lower bumper grille - dark chrome insert N Line exclusive front bumper design Skid plate - silver painted N Line exclusive skid plate design - silver painted N Line badge (front grille) Side Door frame & beltline moulding - chrome Door frame & beltline moulding - black (gloss finish) Exterior door handles - body colour Black mirror caps	• - - - - - - - - - - - - - - - - -	- - - - - - - - - - -	• - - - - - - - - - - - - -	- - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -

Rear						
Spoiler - body coloured, tailgate mounted	•	-	•	-	•	_
N Line exclusive rear spoiler - body coloured, tailgate mounted		•	_	•	_	•
Rear bumper insert - dark chrome (gloss finish)		_	-	-	•	
N Line exclusive rear bumper design		•	-	•	_	•
Skid plate - silver painted		-	-	-	•	_
N Line exclusive skid plate design - silver painted		•	_	•	_	•
		N Line	Elite	N Line	Highlander	N Line
Interior styling	Tucson	option	Ente	option	Highlander	option
Treatments						
Alloy effect - steering wheel insert	•	-	•	-	•	-
N Line exclusive steering wheel with dark chrome insert	-	•	-	•	-	•
Alloy effect - transmission gear knob insert (available on 2WD variants only)	•	-	•	-	•	-
Dark chrome - transmission gear knob insert (available on 2WD variants only)	-	•	-	•	-	•
Alloy effect surrounds (air vents)	•	-	•	-	•	-
Dark chrome - surrounds (air vents)	-	•	-	•	-	•
Alloy effect door handles	•	-	•	-	•	-
Dark chrome - door handles	-	•	-	•	-	•
N Line exclusive red stiching (door trim, seats, centre console, seats)	-	•	-	•	-	•
N Line badge (steering wheel, front seats)	-	•	-	•	-	•
Metal effect pedals, door scuff	-	•	-	•	-	•
Materials						
Premium cloth - dashboard centre trim	•	•	•	•	•	•
Premium cloth - door centre trim	•	•	•	•	•	•
Lighting	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Exterior lighting - front						
Daytime Running Lights (DRL) - LED	•	-	•	-	•	-
N Line exclusive Daytime Running Lights (DRL) design - LED						
	-	•	-	•	-	•
Headlight functions - automatic dusk sensing with escort and welcome	•	•	•	•	•	•
	- •	-	- •	-	- •	-
Headlight functions - automatic dusk sensing with escort and welcome		•		•		•
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam)	-	•	-	•		•
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam	•	•	-	•	•	•
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED	•	•	-	•	•	•
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear	•	- -	-	• • •	•	• • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED	- • •	•	-	•	•	• • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights)	- • • •	- - -	- • •	- - -	• • • • • • •	• • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights	- • • •	- - -	- • •	- - -	• • • • • • •	• • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others	- - - - - - - -	•	- • • • -	•	• • • •	• • • • • • • • • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles	- - - - - - - - - - - -	- - -	- • • • •	•	• - • • • • • • •	• • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors	- - - - - - - - - - - -	- - -	- • • • •	•	• - • • • • • • •	• • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front		- - - -	- • • • •	•	• - • • • • • • • •	• • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED		- - - - - -	- • • • • •	- - - - -	• - • • • • • • • • • •	• • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED		- - - - - -	- • • • • •	- - - - -	• - • • • • • • • • • • • • •	• • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights		- - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - -	• - • • • • • • • • • • • • •	• • • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - LED Front room lights Front room lights - LED Vanity mirror lights		- - - - - - - - -	- • • • • • • • • • •	- - - - - - - -	• - • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights Front room lights Coloreby compartment light		- - - - - - - - -	- • • • • • • • • • •	- - - - - - - -	• - • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights - LED Vanity mirror lights Glovebox compartment light Interior lighting - rear		- - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - - - -	• - • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights Front room lights Glovebox compartment light Interior lighting - rear Centre room light		- - - - - - - - - - - - -	- - - - - - - - - - - - - -		• - • • • • • • • • • • • • •	
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bulb indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights Front room lights Glovebox compartment light Interior lighting - rear Centre room light Map lights (outboard) - LED		- - - - - - - - - - - - -	- - - - - - - - - - - - - -		• - • • • • • • • • • • • • •	
Headlight functions - automatic dusk sensing with escort and welcome Headlight type - LED (low/high beam) Headlight type - projector beam Positioning lights - LED Exterior lighting - rear High Mount Stop Light (HMSL) - LED Rear combination lights - LED (bubl indicator and reverse lights) N Line exclusive black tinted rear combination lights Exterior lighting - others Courtesy lights - LED, in front door handles Side repeaters - LED, integrated into side mirrors Interior lighting - front Ambient lighting - LED Front room lights Front room lights Glovebox compartment light Interior lighting - rear Centre room light Map lights (outboard) - LED			- - - - - - - - - - - - - -		• - • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •

Storage solutions	Tucson	N Line option	Elite	N Line option	Highlander	N Line option
Front seats						
Cup holders - centre console	•	•	•	•	•	•
Front seat back pockets	•	•	•	•	•	•
Glovebox compartment	•	•	•	•	•	•
Ticket holders - sunvisors (driver and front passenger)	•	•	•	•	•	•
Rear seats						
Coat hooks - 1x	•	•	•	•	•	•
Cup holders - armrest	•	•	•	•	•	•
Rear seating split folding - 60:40	•	•	•	•	•	•
Boot/luggage area						
Cargo cover - retractable with 2 position setting	•	•	•	•	•	•
Luggage compartment - 6x mounting points	•	•	•	•	•	•
Luggage net	-	-	•	•	•	•
Underfloor side storage recess	•	•	•	•	•	•
Others						
Doors - bottle bulges (front and rear)	•	•	•	•	•	•
Roof rails	•	•	•	•	•	•
N-+	· · ·					

Notes:

Notes: 1. Applicable to Highlander variant only. 2. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate. 3. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate. 4. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof. 5. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

Key: • = Feature is available on trim o = Feature is available on trim only as a part of an option pack - = Feature is not available on trim