

NEW THINKING. NEW POSSIBILITIES.

People's expectation toward individual mobility requires more than just a convenient means of transportation. The old understanding of cars has become outdated. A car represents individuals' lifestyles, and it became an integral part of their lives. At the same time, the automobile industry has experienced seismic change. Hyundai Motor Company has grown rapidly to become one of the largest automakers, backed by world class production capability and superior quality. We have now reached a point where we need a qualitative approach to bring bigger ideas and relevant solutions to our customers. This is an opportunity to move forward and we have developed a new brand slogan that encapsulates our willingness to take a big leap. Led by our new slogan and the new thinking underlying it, we will become a company that keeps challenging itself to unlock new possibilities for people and the planet.

Hyundai Motor Company

www.hyundai.com GEN. LHD 1208 ENG

Copyright © 2012 Hyundai Motor Company. All Rights Reserved.





The Bus of the **Future** is **Now Here**

Futuristic and unique, the County styling beautifully harmonizes with its practical personality.

Rounded edges and flush fitting surfaces contribute to a clean, simple image.



Front Bumper and Fog Lamp
A large and sturdy front bumper adds

styling theme while the built-in fog lamps provide additional illumination for greater safety in rain and fog.



Electric Chrome-Coated Outside Mirror (Optional)



Rear Spoiler (Optional) Rear spoiler is applied to give a magnificent look to the rear body.



Side Repeater



Fixed Type Side Glass

Fixed type side glass not only enhances the overall elegance a muscular look and provides but offers improved visibility.



Rear Garnish


Painted black, it lends thematic continuity between the side glass and rear



Rear Bumper

One piece-type steel bumper is gently rounded around the edges for a soft look that matches the overall design theme.







The County headliner vorrows passenger car technology to create a full formed, elegantly contoured surface which enhances interior elegance.(Package option with A/con)



Instrument Panel

Logically organized gauge



Perfection in Form and Function

Reflecting the human-oriented Hyundai design technology, the County interior combines outstanding ergonmics and aesthetics to provide a higher level of comfort for the driver and passengers. Also, a perfectly designed ventilation system, including large sized air conditioner and pre-heater, provids additional comfort.

Bucket-Type Driver Seat Providing excellent thigh and lower back

support, this fully adjustable seat provides a cradle of comfort and is effective in helping keep the driver alert.

Lumbar Support

An option on the DLX, lumbar support





Air Conditioning Louvers and Reading Lamps

Louvers are installed over each passenger seat and can ve aimed precisely. Ducts are now larger with A/Con package option in the Deluxe model)



Passenger Seat Safety Belts

Featuring a new and improved



Overhead Shelves

Neatly styled overhead shelves provide a handy place for passengers to stow away their belongings.(Available with A/con package option on



Fuel Lid Center

Locking System Cable-actuated fuel lid center locking system makes fueling



Steering Wheel

It is a lot more luxurious by applying 3D "H" logo emblem on the steering wheel.



Driver's Hanger











Max. Torque : 38kg·m/1.800rpm
 Max. Torque : 30kg·m/2.000rpm



120ps / 2,900rpm • Displacement : 3,907cc

 Displacement : 3,907cc Max. Torque : 30kg·m/2.000rpm



115ps / 3,400rpm

• Displacement : 3,298cc



140ps / 2,800rpm

• Displacement : 3,907cc



100ps / 3,400rpm

• Displacement : 3.568cc Max. Torque: 24kg·m/2.000rpm

NA Engine

120ps / 3,200rpm

* Max. Power and Torque of engine may vary according to each country

New Technology for Advanced Protection

Hydraulic with vacuum assisted brake system and optional ABS, large 9+10" tandem boosterprovides safety and stability for the vehicle.



Disc Brakes

For safer stops, Hyundai offers disc brakes which include a pad wear indicator.(Option)



Load Sensing Proportioning Valve

distributes hydraulic brake pressure between the front and rear wheels




Exhaust Brake

Very effective while braking on steep descents, the engine exhast brakes. (Deluxe option)



9+10 Brake Booster

Large size tandem booster provides plenty of hydraulic brake pressure to significantly reduce brake pedal force requiremements.



ABS(Anti-Lock Brake System)

ABS can detect wheel lock which can cause the vehicle to skid out of control and bring the vehicle to a safe, contriled stop while driving under slippery road conditions. (Package option with disc brakes)

WITH ABS WITHOUT ABS - - - BRAKE APPLIED

TECHNOLOGY

Advanced Manufacturing and Testing Technology

As a product of Hyundai advanced testing and manufacturing faciliries, the County meets the highest standards of performance, durability and safety.




Super Strong Frame

The County simply radiates a sense of solidness. The sturdy body on the box-type frame provides extra stavility. The County's wide range of safety factors-both active and passive-ensures the best possible protection for all occupants. Further, the upsetting painting gives the body of the County overall protection against corrosion.

Chassis Frame Engineered with Computer Aided-Design tools, the new box-type frame represents a significant improvement over the previous rail-type and offers greater resistance against bending and torsional forces.

Box-Type Frame





Durability Test on Rough and Uneven Road Surfaces




Engine Bay
Electro static immersion system
guarantees 100 percent coverage
for greater resistance against rust.









Front Independent Suspension
(D4GA Engine only)
- Double Wishbone + Coil Spring Typ

Suspension Rear Long Span Taper Spring (D4GA Engine only)



Chassis Durability Test



Pre-Heater

The cabin warms up quickly thanks to the pre-heater system.
(Optional)









Automatic Folding-Door Featuring a highly reliable mechanism, the auto folding door will provide years of trouble-free use.

TOP COMFORT TOP CONVENIENCE



Semi-Cloth Seat

New cushions provides firm but gentle support and seat facings are upholstered in semi-cloth.



Swing Out Type Door

Swing Out Type door provides stylistic complement to the body lines. Plus, they have been redesigned for quieter operation and easier access.(Deluxe option)



Rear Luggage Compartment



Linoleum Floor Mat



The basic feature deters theft and prevents accidental starting.



(Option)



Double Locking System Microphone (Option)



H-470 Audio Systems H-420 Audio Systems

HIGH QUALITY & DESIGN

New County 2 Door BUS



- **1. More room for standing** The spacious interior assures best-in-class comfort for passengers and facilitates passenger interaction.
- **2. Stanchion bar** Stanchion bars assure passenger's safety and comfort.



Convenience for entry and exit With the additional rear door, new County emphasizes comfort for entry and exit

Spacious door for both Mid and Rear Entry and Exit

	Door type	Width	Height
Mid & Rear	Folding	663mm	1,745mm

Equipments



Power Steering

This optional feature (Deluxe only) reduces the steering effort and enhances driver comfort and convenience.



Speakers

High fidelity 5.25-inch speakers deliver concert hall-like acoustics for your listening pleasure.



Door Pocket

For a convenience of driver, large door pocket is provided to carry variety of small goods for travel.



Electric Ventilator

The electric fan improves cabin ventilation and comes with the air conditioning package option. fresh air and always comes in



Tilt Steering

The steering wheel angle can be easily adjusted to suit the driver personal preferences. (Standard)



Door Switch

The one touch-type door switch is located at the driver fingertips and is easy to use.



Free-Flow Ventilator

The free-flow ventilator circulates a steady stream of air throughout the cabin for the greater comfort of the passengers and driver.



Roof Ventilator

Centrally located roof ventilator provides an auxiliary source of



Telescopic Steering

This standard feature enables the driver to position the wheel at a perfect height for relaxed driving and a perfect view of the gauge



Glove Box

Fuse Box

replacements.

Radial Tires &

Wheel Covers

Radial tire is standard on the

Located below the instrument

panel for easy fuse checks and

The spacious glove box is locatde in front of the co-driver seat and provides a handy storage space for the fluorescent lamp. personal items and travel essentials. (Standard on Super model)



Rear View Mirror & Overhead Lamp Sunvisor

While a console in the roof serves some map-reading lights for convenient, wide inside rear view confident driving. (Driver: Standard. mirror enhances safe driving.



Fluorescent Lamp

Passengers will appreciate the bright illumination provided by



Driver and passenger sunvisors

Passenger: Option)

block out the sun for safer, more

Digital Clock

Its overhead location lets everyone see the time. (Package option with A/Con)



Gear Box

Using cable linkages, gear shifts now require a shorter stroke and reduced effort for the greater convenience and comfort of the driver.



Hydraulic assistance requires less clutch pedal effort thus reducing



Power Clutch

driver fatique.



Large Windsield Wiper

Large windshield wipers guarantee better visibility to driver at any bad weather

Color Guide



CK(Soft beige / Milky Brown)



MB(Scarlet Red / Soft Beige White)



EY(Soft Blue / Vanilla White)



HJ(Sunny Yellow)

Main Specifications

Drive Type	LHD, 4X2									
Body Type	Standard				Long					
Door Type	1			2	1				2	
Seat Capacity	14+1	18+1	15+1	24+1	16+1	24+1	26+1	28+1	29+1	19+1

Dimension	ns (mm)								
Overall Length		6,350	7,085						
Wheel Base		2,035							
Overall Height		2,630 (Air Con : 2,755)							
Overall Width		3,350	4,085						
Wheel Tread	Front	1,705							
	Rear	1,495							
Overhang	Front	1,195							
(Bumper)	Rear	1,805							
Body Inside	Length	5,525 6,260							
	Width	1,910							
	Height	1,860							
Min. Ground C	learance	195							

Weinht (Kn)

Seat Capacity Front 2		24+1(D4AL / D4DB / D4DB-d / D4DD)	24+1(D4GA14 / D4GA15)	28+1(D4AL / D4DB / D4DB-d / D4DD)	28+1(D4GA14 / D4GA15)			
Empty Vehicle Weight		3,760 / 3,845 / 3,845 / 3,985	4,165 / 4,185	3,670 / 3,845 / 3,845 / 4,425	4,405 / 4,425			
Gross Vehicle Weight*		6,360	7,400	6,670	7,400			
Rear		2,260	3,000	2,570	3,000			
Fro	ont	4,100	4,400	4,100	4,400			
* May GVW includes the front & rear ayle loads based on the permissible tire load								

Max.6VW includes the front & rear axie loads based on the permissible tire load.

C	Calculated Performance									
En	ngine*		D4AF / D4DC / D4AL / D4DB-d /	D4DB / D4DD / D4GA14 / D4GA15						
Ma	ax. Speed	Km/h	109 / 104 / 109,107 / 120 / 110 / 115 / 113 / 140							
Ma	ax. Gradeability	tanθ	0.35 / 0.30 / 0.33,0.34 / 0.37 / 0.38 / 0.39 / 0.36 / 0.53							
Mi	in. Turning Radius	m	6.2	7.4						
An	notations									

Specifications

Model

Engine

Standard

D4DC

Natural Aspiration

	l idhe	Tarbo Charger Intercooler								
		4 stroke-cycle, water-cooled, direct-injection								
	Number of Cylinder	4 in-linediesel engine								
Max. Power**	General	100 / 3,400	-	-	-	_	-	-	-	
(ps/rpm)	Euro I	-	120 / 3,200	-	-	155(Gen),130(Gen,Cold)/2,900	-	-	-	
	Euro II	-	-	115 / 3,000	120 / 2,900	130 / 2,900	-	-	-	
	Euro III	-	-	-	-	-	140 / 2,800	-	-	
	Euro IV	-	-	-	-	-	-	140/2,700	150/2,500	
Max. Torque**	General	24 / 2,000	-	-	-	-	-	-	-	
(kg.m/rpm)	Euro I	-	30 / 2,000	-	-	-	-	-	-	
	Euro II	-	-	30 / 1,800	30 / 2,000	38 / 1,600	-	-	-	
	Euro III	-	-	-	-	-	38 / 1,600	-	-	
	Euro IV	-	-	-	-	-	-	38/1,400	59 / 1,400	
Battery				24V-80A	AH (24V-100 <i>A</i>	AH : Cold Reg	ion only)			
Transmission	Model	M2S5		M3S5		M035S5		T060S5		
	Туре		5 Forward and 1 reverse speed, over drive							
Rear Axle	Model	D2H	D2H II	D2H II	/ D2H	D3H /	D033H	D033H	R130HS	
	Ratio	6.333	6.142		/ 6.333		/ 5.000	5.375 / 5.000		
Front Axle							ion (D4GA 14			
Tire	Front / Rear	7.00R	16 - 10PR (St	tanard), 7.00F	R 16 - 12PR (Long), 205/7	0R17.5-10PR	(D4GA14/15	: STD)	
Brake	Service Brake	Hydraulic with vacuum servo assistance, dual circuit								
	Parking Brake	Integral expanding type on propeller shaft at the rear of transmission								
	Exhaust Brake	Vacuum operated, butterfly valve type								
Suspension		Semi-elliptic, laminated leaf springs with shock absorber / Long Taper Spring with independent suspension (D4GA 14/15 only: OPT)								
Fuel Tank		95 liter (Steel)								
Door	Driver's Door					wing Type				
	Middle Door	Two Sections inward Manual Folding Type								
		Two Sections inward Automatic Folding Type (DLX Trim or OPT)								
	Rear Door	Two Sections inward Manual Folding Type (STD Trim)								
				Two Sections	s inward Auto	omatic Foldin	g Type (OPT)			
Air con.	Capacity (kcal/h)				10,	000				
			* Max. po	wer and tord	que of engine	specification	ns may vary a	ccording to e	each country	
tool cot										


Standard / Long

Turbo Charger Intercooler

Annot

- 1) This vehicle specifications may differ per country and allow for production tolerance,
- 2) Empty vehicle weight includes weight of oil, fuel, coolant and spare tire carrier & bracket, spare tire but excludes standard tool set.
- 3) Hyundai Motor Company reserve the right to make change in specifications, equipments and design, or to discontinue models or options without notice at any time.

County Standard



County Long

